

Index terms

Links

AASHTO (American Association of State Highway and Transportation Officials)	A.400	A.404	D.37
Abandoning	C.302		
Abbreviations (see Acronyms and abbrevia-tions)			
Aboveground piping	C.51	C.69	
Abrasion	B.515	B.549	
Abrasion resistance	B.520	C.25	D.95
Abrasion testing	D.108		
Abrasive	B.507		
Abrasive control	C.614		
ABS (acrylonitrile butadiene styrene) pipe	C.675	D.4	D.5 D.26
Absolute pressure	C.756	C.803	
Absolute stability	B.423		
Absolute viscosity	A.7		
Absorption cycle	C.460		
Absorption system	C.460		
Accessibility	B.92	B.93	C.347
Accumulator	B.462		
Acid resistant	B.527	C.672	
Acoustical	C.317		
Acronyms and abbreviations	A.40	A.41	
Acrylic latex mastic	B.345		
Acrylonitrile-butadiene-styrene (see ABS)			
Actual cubic feet per minute (acfm)	C.759	C.803	
Actual liter per second (al/s)	C.803		
Additives	D.14		
Adhesion failure	B.527		
Adhesive	B.527		
Adhesive joint	A.7		
Adhesiveness	C.42		
Adiabatic flow	B.388	B.437	
Adiabatic process	C.756		
Adjusted scfm	C.835		
After cooler	C.767	C.768	
AGA (American Gas Association)	A.211		
Age resistance	B.527		
Aging	B.564	A.159	D.42 D.43
Air binding	C.33	C.38	
Air compressor assembly	C.791		
Air compressors	C.766		
Air-conditioning and Refrigeration Institute (ARI)	A.216		
Air cooled	C.768		
Air dryers	C.769	C.773	C.775

<u>Index terms</u>	<u>Links</u>
Air gap	C.710
Air intake	C.744
Air leakage	C.38
Air piping	C.380
Air pockets	C.5 C.33 C.38
Air testing	D.141
AISI (American Iron and Steel Institute)	A.219
Alarms	C.820
Alignment	A.285 C.643 C.663
Alignment guide spacing	A.436
Alkalinity	C.39
Allen model	B.428 B.430
Allotropic	A.152
Allowable deflection	C.23
Allowable leakage	C.787
Allowable limits	C.123
Allowable strain	D.45
Allowable stress	C.145 C.146 C.147 C.219 C.318
Allowable working stresses	B.56
Alloying	A.127
Alloying of steel	A.155
Alpha iron	A.152 A.304
Alternating stress	B.112
Aluminum and aluminum alloys	A.178 A.156
Aluminum banding	B.345
Aluminum jacketing	B.346
Ambient conditions	A.460
Ambient effects	C.314
Ambient sensing control	B.281
Ambient temperature	A.8
American Association of State Highway and Transportation Officials (see AASHTO)	
American Gas Association (AGA)	A.211
American Iron and Steel Institute (AISI)	A.219
American National Standards Institute (see ANSI)	
American Nuclear Society/Standard (ANS)	A.219 A.220
American Petroleum Institute (see API)	
American Pipe and Fittings Association (APFA)	B.541
American safety code	C.458
American Society for Testing and Materials (see ASTM)	
American Society of Civil Engineers (ASCE)	A.218

Index terms

Links

American Society of Heating Refrigerat-ing and Air-Conditioning Engineers (see ASHRAE)			
American Society of Nondestructive Test-ing (see ASNT)			
American Society of Sanitary Engineers (ASSE)	A.217		
American Society of Mechanical Engineers (see entries beginning ASME)			
American Water Works Association (see AWWA)			
American weather book	B.41		
American Welding Society (see AWS)			
Ammonia	C.463		
Ammonia systems	C.507		
Anaerobic bacteria	C.40		
Anchor	A.8		
Anchor guides	D.124		
Anchor locations	A.449		
Anchor movements	B.119		
Anchored fittings	B.586		
Ancillary equipment	C.832		
Angular flexibility	A.435		
Angular movement	A.437		
Annealing	A.305		
Annuli	B.648		
Anode	C.40	C.41	
sacrificial	C.294	C.295	
ANS (American Nuclear Society/Standard)	A.219	A.220	
ANSI (American National Standards Insti-tute)	A.180	A.202	B.4
guides	A.206		
standards	A.202	A.207	
Antioxidant	B.527	D.15	
APFA (American Pipe and Fittings Associ-ation)	B.541		
API (American Petroleum Institute)	A.211	C.184	C.185
Bulletins	A.212		
Recommended Practices	A.212		
Specification	A.211	A.212	
Standards	A.214		
Application of gaskets	A.383		
Arc cutting	A.8		
Area classification	B.253		
Area composite drawings	B.80	B.81	
Areaway	C.700		

<u>Index terms</u>	<u>Links</u>
Argon oxygen process	A.246
ARI (Air-conditioning and Refrigeration In-stitute)	A.216
Asbestos-cement pipe	B.235
As-built	B.77
ASCE (American Society of Civil Engi-neers)	A.218
Ash conveyor	C.753
Ash handling	C.727 C.730
Ash handling system	
fittings	C.738
materials	C.738
pipe	C.738
pipe supports	C.749
Ashcolite	C.738
ASHRAE (American Society of Heating Refrigerating, and Air-Conditioning Engineers)	A.216 A.217
ASJ (all service jacket)	B.346
ASME (American Society of Mechanical Engineers)	A.180
ASME B31, Code for Pressure Piping	B.5 B.20
B31.1, Power Piping	A.262 B.20 B.22
B31.3, Process Piping	B.5 B.22 C.305 C.424
B31.4, Liquid Transportation	C.182 C.183 C.184
ASME Boiler and Pressure Vessel Code	A.180 B.4
Section I	A.180 A.181 A.182
Section II	A.183 A.184
Section III	A.184 B.4
Section IV	A.180
Section V	A.180 A.186
Section VI	A.180
Section VII	A.180
Section VIII	A.180
Section IX	A.180 A.187
Section X	A.180
Section XI	A.180 A.188
ASME Code for Pressure Piping	A.190 C.458
B31.1, Power Piping	A.190 A.193
B31.2, Fuel Gas Piping	A.193
B31.3, Process Piping	A.194 A.195
B31.4, A.196	
B31.5, Refrigeration Piping	A.197
B31.8, A.197	
B31.9, Building Services Piping	A.199
B31.11, Slurry Transportation	A.200 A.201
code cases	A.191 A.194 A.197 A.198 A.200 A.201

Index terms

Links

ASME Code for Pressure Piping (Cont.) edition and addenda	A.191	A.194	A.197	A.198	A.200	A.201
ASME Performance test codes	A.201					
ASME Section I	A.262					
ASME Section II	A.180	A.183	A.184			
electrodes	A.183					
ferrous materials specifications	A.183					
filler metals	A.183					
nonferrous material specifications	A.183					
welding rods	A.183					
ASME Section III	A.262					
ASME Section IX	A.262					
ASNT (American Society of Nondestructive Testing)	A.219					
standard	A.219					
Asphalt cutback mastic	B.346					
Asphalt enamel	B.486					
Asphalt mastics	C.292					
ASSE (American Society of Sanitary Engineers)	A.217					
Assembly	A.9	A.278				
ASTM, B-88 Type L	C.397					
ASTM (American Society for Testing and Materials)	A.207					
ASTM Standards and Specifications	A.207	A.211				
Attachments to buildings	B.230					
Attachments to structures	B.230					
Austenite	A.304					
Austenitic and ferritic	C.406					
Autoclave	B.527					
Autoclave testing	B.492					
Autoignition temperature	C.416					
Automatic sprinkler	C.54					
Auxiliary gas systems	C.272	C.273				
AWS (American Welding Society) <i>Welding Handbook</i>	A.215	A.263				
AWWA (American Water Works Association)	A.214					
standards	C.17	C.18	C.19	C.20		
Azeotropes	C.466					
Back flow prevention valves	A.489	C.34	C.710			
Back pressure	A.460	B.31	C.200	C.710		
Back siphonage	C.710					
Backfill	B.314	C.78	D.71			
Backfilling	A.412					
Backflow	A.460	C.33				

Index terms

Links

Backflow prevention	C.34	C.339		
Backing ring	A.9	A.105	A.293	C.120
Backseat	A.460	A.485		
Backwater valve	C.684			
Bag house	C.736			
Ball joint	A.9			
Balloon	B.515			
Barlow formula	C.22			
Baroczy	B.426	B.427		
Barometric pressure	C.756			
Basalt lined steel	C.738			
Base metal	A.9	A.282		
Basic flow equation	C.253			
Basic oxygen process	A.245			
Basket strainer	A.83	A.84		
BCC (body centered cubic)	C.406			
Beam stresses	C.226			
Bedding factor	D.70			
Bedding materials	D.137			
Bell and spigot joints	A.110	A.111	A.407	C.327
Bell ring	A.398			
Bellow expansion joint	B.158	C.115		
Bellville spring	A.370			
Bendemann ellipse	B.413			
Bending	A.268	A.272	C.85	
cold	A.271	A.273		
hot	A.272	A.274	A.296	
induction	A.275	A.276		
Bending and forming	C.350			
Bending stress	B.179	B.180		
Benjamin-Miller	B.429			
BEP (boiler external piping)	A.181	C.84	C.95	C.169
Berger and Hau	C.45	C.46		
Bernoulli's equation	B.400	B.401		
Bessemer converter	A.245			
Bevelling	A.9	A.266		
Bill of materials	B.105			
Billets	A.246			
Birchloy	C.738			
Bituminous external	C.29			
Blank flange	A.9			
Blanks	C.151	C.324	C.337	C.338
Blasting	B.527			
Bleeder strings	B.514			
Blemish	B.527			
Blind flange	A.9	A.336		

Index terms

Links

Blisters	B.508			
Block line safety devices	C.448			
Block valves	A.460	C.339	C.342	
Block-and-bleed	A.460			
Blowdown	A.460	C.5	C.275	
Blowdown assemblies	C.266			
Blowdown valve	A.460			
BOCA (Building Officials Conference of America)	A.220			
Body centered tetragonal (BCT)	A.146			
Body force	B.456			
Boiler external piping (BEP)	A.181	C.84	C.95	C.169
Boiler water	C.6			
Boiling water reactor (BWR)	C.83	C.92		
Bolt load monitoring	A.395			
Bolt loads	A.387			
Bolt selection	A.384	A.385		
Bolt studs	C.109			
Bolt tightening	A.373	A.390		
Bolted joints	A.331	A.396		
Bolting	A.97	C.108	C.336	
bolting materials	B.25			
bolting procedures	C.351			
bolting standards	A.361	A.362		
bolts and nuts	A.361	A.362		
Bond	B.527			
Bonded	A.410			
Bonding	C.551	C.557	C.559	
Bonding stiffness	D.61			
Bonnet	A.460	A.478		
Booster hot water system	C.710			
Booster pumps	C.7	C.8		
Booster station	C.7			
Bore	A.460			
Boron	A.156			
Bottom ash	C.727	C.730	C.735	
Bourdon gauge	C.832			
Boxtype conduits	C.109			
BPD (barrels per day)	C.192			
BPOD (barrels per operating day)	C.192			
Branch	C.684			
Branch connection	A.9	C.321		
Branch interval	C.684			
Branch vent	C.694			
Brazed joint	C.522	C.679		
Brazing	A.10	A.302	C.551	

Index terms**Links**

Brines	C.457			
British Standards	A.238	A.239	E.120	E.154
Brittle failure	B.673	B.686		
Brittle fracture	B.665			
Bromobutyl	B.527			
Bronze valves	C.164			
Btu (British thermal unit)	B.288			
Bubble joint	C.489			
Bubble Tight	A.460			
Bucket machines	C.664			
Buckling	A.270			
Building drain	C.684			
Building Officials Conference of America (BOCA)	A.220			
Building penetrations	B.211			
Building settlement analysis	B.168			
Building sewer	C.620	C.684		
Building trap	C.685			
Bulk conversion system	C.438	C.440	C.441	
Bulk liquid	C.443			
Bulk tanks	C.439			
Burial	B.313			
Burial design	D.134			
Buried gate valves	C.32			
Buried pipe	B.211			
Buried piping	B.90	B.209		
Bursting pressure	C.25			
Butt joint	A.10			
Butt stem	B.528			
Butt skive joint	B.512			
Butt splice	B.528			
Butt weld	A.100	A.285		
Butterfly valves	C.32			
Butyl	B.526			
BWR (boiling water reactor)	C.83	C.92		
Bypass	A.10	A.460		
CAD (computer aided design)	B.9	B.79	B.101	
CADD (computer aided design and draft-ing)	B.9	B.77	B.79	
Calender	B.528			
Calender blister	B.528			
Canopy	C.700			
Carbide	A.307			
Carbon	A.155			
Carbon and alloy steel grade categories	A.170			
Carbon dioxide (R-744)	C.463			

<u>Index terms</u>	<u>Links</u>						
Carnot cycle	C.126						
Cast iron	A.149						
Cast iron flanges	C.105						
Cast iron pipe (CIP)	C.28						
Cast Iron Soil Pipe Institute (CISPI)	C.677						
Casting quality factor	C.319						
Catalyst	B.490	D.144					
Catch basins	C.664						
Cathode	C.40						
Cathodic disbondment	B.483						
Cathodic protection	B.483	B.488	C.41	C.292	C.293	C.294	C.295
Cathodic shielding	B.483						
Caulk and compression gasket	C.672						
Caulked joints	C.676						
Cavitation	A.460	C.22	C.710				
CDA (clean dry air)	C.449						
Cell classification	D.17	D.19	D.24				
Cement mortar lining	C.68						
Cement mortar	B.471	B.472					
Cementing	B.512						
Centrifugal casting	D.91	D.144					
Centrifugal compressor	C.767						
Centrifugal pumps	B.89						
Certificate of Compliance	A.10						
Certified Material Test Report (CMTR)	A.10						
CFR (Code of Federal Regulations)	A.189	B.5	B.570				
CGA (Compressed Gas Association)	C.802						
Chamfering	A.10						
Charpy fix temperature	A.132						
Chatter	A.460						
Check valves	B.462	C.343					
Chemical composition of wrought alumi-num alloys	A.176	A.177					
Chemical corrosion	C.39						
Chemical extinguishing system	C.60						
Chemical plant piping	C.309						
Chemical resistance	B.520	B.523	D.47	D.48	D.95	D.96	D.108
Chemical waste	C.685						
Chezy coefficient	B.447						
Chilled water pipe	B.307	B.315	B.318				
Chlorendic polyester resin	D.88						
Chlorinated (PVC) pipe (See also CPVC, PVC)	C.675						
Chlorobutyl	B.528						
Chloro-fluoro-carbon (cfc)	C.463						
Chlorosulfonated polyethylene	B.528						

Index terms

Links

Choked flow	A.460	A.536					
Chopped fiber	D.144						
Chromium	A.156						
Chromium cast-iron	C.730						
CIP (cast iron pipe)	C.28						
Circuit and loop vents	C.697						
Circuit vent	C.694						
Circulating media	B.245						
Circulating water	C.4	C.5					
CISPI (Cast Iron Soil Pipe Institute)	C.677						
City water	C.710						
Clad metal	A.301						
Clamp, harness	A.408						
Clam-shell couplings	B.628	B.630					
Classification of steel	A.157						
high carbon steel	A.157						
low carbon steel	A.157						
medium carbon steel	A.157						
Clausius-Rankine cycle	C.102						
Clean agents	C.57						
Clean dry air (CDA)	C.449						
Clean out	C.685						
Clean water piping	C.737						
Cleanliness and purity	C.823						
Clogged strainers	C.50						
Closed discharge	B.88						
Closed skive	B.513						
Closure rings	B.577	B.580					
Closures	C.151	C.323					
CLSM (controlled low-strength materials)	D.73						
Coal tar	C.292						
Coal-tar enamel	C.42	B.486					
Coated pipe	A.301						
Coated piping	B.499						
Coating	B.483						
Coating and lining	C.30						
Code cases	A.180	A.181	A.182	A.183	A.185	A.186	A.187
	A.188	A.189	A.190				
Code of Federal Regulations (CFR)	B.5	B.570					
Codes and standards	A.179	A.262	B.21	B.22	B.26	C.458	C.536
	C.667	C.801					
Coefficient of contraction	B.400	B.401					
Coefficient of discharge	A.461	B.402	B.403				
Coefficient of drag	B.176	C.589	C.590				
Coefficient of runoff	C.634	C.635	C.649				
Coefficient of thermal expansion	E.102	E.106					

<u>Index terms</u>	<u>Links</u>
Coefficient γ	C.86
Cohesive force	C.755
Coiling arrangement	B.245
Cold bending	A.10
Cold box	C.432
Cold box piping	C.391 C.432 C.433
Cold drawing process	A.256
Cold piping	B.302 B.303
Cold reheat system (CRS)	B.94 C.89 C.97
Cold spring	A.321 B.238
Cold springing	C.51 C.117
Cold weather testing	B.673
Cold working	A.11
Cold working pressure (CWP)	A.461 A.474
Colebrook equation	C.583
Collapse	C.543
Combating contamination	C.712 C.763
Combination inlets	C.657
Combined drainage system	C.685
Combined sewer	C.620
Combustion properties	C.840
fuel gases	C.840
natural gas	C.841 C.843
propane	C.841
Commercial sewage	C.624
Common vent	C.694
Consumable insert	A.11
Companion flange	A.11
Composite drawing	B.9
Compressed air purification	C.784
Compressed air receivers	C.769
Compressed air	B.99 C.755
Compressed Gas Association (CGA)	C.802
Compressed gases	C.801
Compressibility factor	C.260 C.261
Compressible flow	B.388
Compression couplings	C.677
Compression system	C.458
Compressor piping	C.365
Compressor regulation	C.781
Compressor station layout	C.272
Computer aided design (CAD)	B.9 B.79 B.82 B.101
Computer aided design and drafting (CADD)	B.9 B.77 B.79
Computer product model	B.5
Computer programs	B.192 B.193 E.109 E.118

Index terms

Links

Computerized method	B.192			
Concentration	C.44			
Concrete core	B.473	C.656		
Concrete pressure pipe	A.399	A.406	B.472	B.473
Concrete	B.470	C.25		
Condensate formation	C.262			
Condensate	B.96	C.83		
Condensate piping	C.382			
Condenser	C.488			
Condenser-circulating water	C.4			
Condenser drains	C.516			
Conduction	B.288	B.289		
Conductivity measurement	B.645			
Conductor	C.701			
Configuration control	B.4			
Configuration management	B.4			
Confining pressure	B.201			
Constant boiling point refrigerants	C.464			
Constant spring support	B.221	B.231		
Construction permit	A.189			
Consumable insert rings	A.106			
Contact molding	D.88			
Contact surface finish	A.95			
Contaminant	C.710	C.763		
Contamination prevention	C.712	C.763		
Continuity	B.367			
Continuous cooling process	A.246			
Continuous vent	C.694			
Contact documents	B.3			
Contract specifications	B.6			
Contraction	C.528			
coefficient of	B.400	B.401		
Contraction control joint	B.312			
Contractor	A.11			
Control cooling	A.11			
Control piping	A.11			
Control valves	A.461	A.531	A.539	C.54
actuators	A.535			
angle valve	A.534			
ball	A.535			
butterfly	A.535			
eccentric rotary plug	A.534			
globe valve	A.533			
liquid service	A.537			
modulating	A.532	A.538		
three-way	A.534			

Index terms

Links

Controlled bolting	A.394							
Controlled low-strength materials (CLSM)	D.73							
Controlling water hammer	C.33							
Convection	B.288							
Conversion systems	C.436							
Conversions	C.804							
acfm to scfm	C.804							
pressure	C.805	C.807						
scfm to acfm	C.806							
torr to vacuum pressure	C.805							
Conveyor line	C.727	C.730						
Cook book analysis	B.177							
Cooling effects	C.314							
Cooling ponds	C.5							
Cooling towers	C.5							
Cooling water systems	B.100							
Copper	A.156	C.154						
Copper and copper alloys	A.174							
Copper tube	C.157							
Corner joint	A.11							
Corrosion	A.128	B.20	B.54	B.481	C.21	C.25	C.39	
	C.42	C.43	C.50	C.530	C.544	C.546		
allowance	B.53	B.557	C.149	C.318	C.530			
resistance	B.58	D.112						
Corrosion-erosion control	C.601							
Corrosion protection	C.231							
Corrosion rate	B.566							
Corrosion resistance ratio (CRR)	A.424	A.425	C.25	C.70	C.345	C.672		
Corrosion-resistant piping	B.542	C.545						
Corrosive	B.507							
Corrosive environment	C.67							
Corrosive gases	C.812							
Cost of leak	A.332							
Counterbore	B.35							
Couples	A.32							
Coupling type	C.330							
Couplings	A.11	C.677	C.747					
<i>(see also Flexible couplings)</i>								
Covered electrode	A.11							
CPVC (chlorinated polyvinyl chloride)	D.4	D.21						
Crack	A.12							
initiation	B.111							
propagation	B.111							
Cracking	C.659							
Cracking pressure	A.461							

Index terms

Links

Creep	A.12	A.138	A.165	C.556
Creep rupture test	A.138			
Creep strength	A.137			
Creep tensile	D.34	D.36		
Critical buckling pressure	D.54			
Critical flow rate	B.407	B.425		
Critical point	C.398			
Critical pressure ratio	B.407			
Critical temperature	A.152	A.304		
Cross country pipeline	C.181			
Cross mains	C.73			
Cross reference ASME to UNS	A.172			
Cross-connection	C.711			
Cross-linked polyethylene (PEX)	D.4	D.25		
CRR (corrosion resistance ratio)	A.424	A.425	C.25	C.70
CRS (cold reheat system)	B.94	C.89	C.97	C.345
Cryogenic	C.391	C.812		C.672
Cryogenic fluids	C.391	C.392		
Cryogenic freezing	B.682			
Cryogenic piping systems	C.391			
Cryogenic pumps	C.442			
Cryogenic service	B.324			
Cryogenic storage vessels	C.395	C.396		
Cryogenic temperatures	C.391			
Cryogenic valve	A.461			
Crystallites	D.16			
Curb inlets	C.657			
Cure	B.491	B.528	D.144	
Cure time	B.483	B.496	D.144	
Curing	B.473	B.474	B.498	
Curing agent	B.490	D.144		
Curing methods	B.473			
Cut groove	A.427	A.451		
Cutting	A.266			
Cutting torch	A.12			
CWP (cold working pressure)	A.461	A.474		
Cycle parameters	C.129	C.130		
Cyclic analysis	C.555			
Cyclic loadings	C.545			
Cyclic stress	B.50			
range	C.555			
Cycling test	B.564			
Damping	B.165			
D'Arcy-Weisbach friction factor	B.380	B.392	B.398	B.428
De St Venant	B.406			C.196
Dead effects	C.316			C.466

Index terms

Links

Deutsche Industrie Norm (DIN)	C.100								
Dead load	D.134	C.531							
Dead weight	B.39								
Decommissioning	C.302								
Decoupling	D.50								
Deep sewer	C.658								
Defect	A.12								
Defect repairs	C.350								
Deflection and deformation	A.435								
Degradation of materials	A.159								
Delamination	B.528								
Delta iron	A.152	A.304							
Deluge valve	C.54	C.56							
Demand	C.711								
Density	A.12	A.139	A.144	A.145					
of air	E.88	E.89							
Department of Defense (DOD)	B.4								
Departure from nucleate boiling ratio (DNBR)	C.84								
Deposited metal	A.12								
Deposition velocity	C.568	C.587	C.592						
Depth of cover	C.67								
Depth of fusion	A.12								
Derammelaere & Chapman	C.605								
Design									
bases	B.19	C.627							
conditions	B.66	C.544							
criteria	B.6	C.545							
documents	B.3								
factor (see Design factor)									
point (see Design point)									
pressure (see Design pressure)									
review	B.105								
spiral	B.5								
storm sewer system	C.646								
system components	C.598								
temperature (see Design temperature)									
velocities	B.60	C.114							
Design factor	B.145	C.219	C.256	C.257	C.627	D.51			
Design point	C.701								
Design pressure	B.31	B.54	C.20	C.92	C.94	C.311	C.523		
	C.644								
Design temperature	B.29	C.21	C.94	C.98	C.101	C.126	C.311		
	C.644								
Design velocities	B.60	C.114							
Designer	A.12	C.535							

<u>Index terms</u>	<u>Links</u>			
Developed length	C.694			
Dew point	A.12	C.262	C.762	
conversion chart	C.761			
Dewatering scrapers	C.289			
DFU (drainage fixture unit)	C.669	C.689	C.695	
DGEBA (diglycidyl ether of bisphenol)	B.483			
Diaphragm displacement meters	C.284			
Diaphragm gauge	C.832			
Differential head	C.203			
Diglycidyl ether of bisphenol (DGEBA)	B.483			
Dilatant liquid	A.12			
Dimension ratio	D.30	D.52	C.675	
Dimensional standards	A.86	B.22		
Dimensioning	A.266	A.267		
Dimensions				
bolting for cast iron flanges	A.90			
butt welding laterals	A.80			
butt welding standard caps	A.79			
butt welding tees	A.74	A.75	A.76	
cast iron companion flanges	A.88	A.89		
cast steel flanged fittings	A.60	A.61	A.62	A.63
concentric butt welding reducer	A.77	A.78		
eccentric butt welding reducer	A.77	A.78		
forged steel socket weld fittings	A.67			
forged steel threaded fittings	A.66			
long radius BW elbows	A.69	A.70	A.71	
short radius elbows	A.72	A.73		
DIN (Deutsche Industrie Norm)	C.100			
DIN Standards	A.239			
DIP (ductile iron pipe)	C.14	C.28		
DIPRA (Ductile Iron Pipe Research	A.220	A.221		
Asso-ciation)				
Direct acting	C.845			
Direct fired	C.711			
Disc	A.461	A.479		
Discharge coefficient	A.461	B.402	B.403	
Discharge lines	C.478	C.488	C.503	
Discontinuity	A.12			
Dissimilar metals	A.298	A.299	A.300	
Distribution mains	C.4			
Distribution network	C.4			
Distribution plant stations	C.272			
District heating	C.125			
Ditch filling materials	C.660			
Diversity factor	C.834	C.852	C.858	
DOD (Department of Defense)	B.4			

Index terms

Links

Domestic sewage	C.623				
Domestic water	C.711				
Double block and bleed valves	C.343				
Double check valve	C.713				
Double containment clean-out	B.605				
Double containment elbows	B.593				
Double containment piping	B.569				
Double containment P-trap	B.606	B.613			
Double containment system	C.554				
Double disc	A.461				
Double failure	B.572				
Double reducing lateral	B.603	B.604			
Double-interlock	C.57				
Double-seated-valve	A.461				
Downspout	C.701				
Drag coefficient	B.176	C.589	C.590		
Drain	C.701				
Drain body	C.687				
Drain pocket	C.111	C.112			
Drain waste and vent (DWV)	B.608	B.609	D.5	D.18	D.26
Drainage fixture unit (DFU)	C.669	C.689	C.695		
Draining	B.672				
Draining the water line	C.33				
Drains	B.89				
Drip lines	C.112				
Drop weight test	A.132				
Dry chemical systems	C.61				
Dry pipe system	C.67				
Dryer selection	C.776				
Ductile	A.126				
Ductile iron	A.150	C.155			
Ductile iron pipe (DIP)	C.14	C.28			
Ductile Iron Pipe Research Association (DIPRA)	A.220	A.221			
Ductile iron soil pipe	B.235				
Ductility (toughness)	B.57	C.25			
Dumbbell plug	B.662				
Durabla	C.417				
Durand correlation	C.587				
Duration	C.701				
Durite (UCC)	C.738	C.742			
Durite fitting selection	C.740	C.743			
Durite pipe	C.734				
Durometer	B.528				
Durometer hardness	B.528				
Duty cycle	C.785				

Index terms

Links

DWV (drain, waste and vent)	B.608	B.609	D.5	D.18	D.26		
Dynamic analysis	B.171	B.173					
Dynamic effects	C.99	C.316					
Dynamic load(ing)	B.169	B.218					
Dynamic load factor	B.170						
Dynamic pressure	B.175						
Earthloads	D.66						
Earthquake design	A.454						
Ebonite	B.528						
Economic optimization	B.298						
Economical circulating water system	C.4						
Economical pipe sizing	C.425						
Economizer hopper	C.737						
ECP (Embedded cylinder pipe)	A.400	A.407	A.410				
Eddy current testing	A.13						
Edge joint/preparation	A.13						
Edition and addenda	A.181	A.182	A.183	A.185	A.186	A.187	A.188
	A.189						
EJMA (Expansion Joint Manufacturers As-sociation)	A.221						
Elastic interaction	A.376						
Elastic modulus	C.545						
Elastic-plastic discontinuity	B.115						
Elastomeric gasket	A.428						
Elastomeric seals	D.18	D.29					
Elastomers	B.524						
Electric arc furnace	A.246						
Electric resistance welded (ERW)	C.217	C.218					
Electric tracing	B.256	B.279					
Electrode	A.13						
Electronic gauge	C.832						
Electrostatic test	B.563						
Elongation	B.528						
Embedded cylinder pipe (ECP)	A.400	A.407	A.410				
Embrittlement factor	A.161	A.162	A.163				
Emergency service	C.5						
Emission	A.332						
Fugitive	A.461						
Emissivity	B.295						
Emittance	B.288						
Encased steel	B.471						
End closures	B.627						
End preparation	A.13						
End seal	A.430						
Endurance limit	A.135						
Energy	A.34						

Index terms**Links**

Energy (Cont.)									
conservation	B.298								
Energy grade line (EGL)	B.374	B.378	C.14	C.15					
Engineering design	A.13								
Enthalpy	B.352								
Entropy	B.353								
Environmental factors	B.51	B.52							
Environmental Protection Agency (EPA)	C.802								
Environmental stress cracking	D.48								
EDPM	B.526								
Epoxy-lined pipe	C.29								
Epoxy novolacs	D.86								
Epoxy phenolic lining	B.484								
Epoxy resin	D.86	D.144							
Equilibrium law of	A.32								
Equilibrium phase diagram	A.152								
Equipment connection	A.13								
Equipment drains	B.99								
Equipment drawings	B.14								
Equivalent feet of pipe	C.879								
Equivalent intensity	B.108								
Equivalent length	C.9	C.16	C.669						
Equivalent thickness	B.309								
Erection	A.13	A.320	C.118	C.557	C.560				
Erosion	A.13	B.20	B.54	C.21	C.22	C.25	C.39		
	C.42	C.43	C.44	C.544	C.546	C.730			
Erosion rates	C.43	C.46							
ERW (electric resistance welded)	C.217	C.218							
ETFE (ethylenetetrafluoroethylene)	B.538	B.539							
Ethylene glycol	C.457								
ETL (electric traced label)	B.279								
Evacuation type	C.711								
Evaporator	C.470								
Examination	A.13	C.121							
Excess flow valve	C.869								
Excessive deformation	C.543								
Excessive water pressure	C.718								
Exfiltration	C.621	C.625							
Expanded air ratio	C.806								
Expansion	C.29	C.30	C.115	C.173	C.460	C.528			
Expansion joint	A.14	B.96	B.157	B.158	B.211	B.623	C.118		
	C.325	C.353	C.549	C.748	C.749	D.134			
Expansion Joint Manufacturers Association (EJMA)	A.221								
Expansion load(ing)	B.139	B.144	B.146	B.149					
Expansion loops	A.444	A.445	A.446	A.447	D.131				

Index terms

Links

Expansion of piping materials	A.140	A.143
Expansion offset	B.625	
Expansion stresses	C.227	
Explosive	C.535	
Extended stem gate valve	C.426	
External anchoring	B.578	
External corrosion	C.232	
External dead load	A.399	
External design pressure	C.94	
External live load	A.399	
External loads	B.145	
External piping	C.446	C.447
External pressure	B.67	B.72 C.225
Externally insulated piping	C.314	
Extraction steam	C.90	C.98 C.127
Extraction steam system	B.95	
Extraction system	C.127	
Extruded nozzles	A.14	
Extruded plastic coatings	C.292	
Extrusion process	A.256	
Fabmat	D.144	
Fabricating (VIP)	C.431	
Fabrication	A.14	A.261 A.263 C.118
Fabrication tolerance	C.350	
FAC (flow assisted corrosion)	B.20	B.55
Face	B.528	
Face stock	B.528	
Factory Mutual (FM)	A.223	
Failure	B.28	
Failure mode	A.524	D.46
and effect analysis	C.540	
Failure theories	B.108	
Fanning	C.196	
Fanno line	B.389	B.391 B.399
Fanno model	B.426	B.449
Fatigue	B.111	C.555
Fatigue analysis	B.116	
Fatigue resistance	A.134	
Fault tree analysis	C.540	
FBE	B.483	
FBE coatings	B.486	
FCC (face centered cubic)	C.406	
FCI (Fluid Control Institute)	A.222	
FCI Standards	A.222	
FCR (field change request)	B.18	
FEA (finite element analysis)	A.388	B.155 B.156

Index terms

Links

Feed mains	C.73		
Feedwater systems	B.96		
FEP (fluorinated ethylene propylene)	B.538		
Fermi temperature	A.152		
Ferritic alloys	C.407		
Ferrous materials	C.545		
Ferrous metals	A.149		
Ferrous Pipe Making Processes	A.244		
Fiberglass casing	D.123		
Fiberglass downhole tubing	D.122		
Fiberglass flange	D.138		
Fiberglass pipe			
chemical (resistance)	D.96	D.108	
physical properties	D.110		
pressure ratings	D.120	D.121	D.122
supports	D.124	D.125	
temperature ratings	D.96	D.108	
Fiberglass pipe and fittings			
fiberglass pipe applications	D.80		
standard specifications	D.85	D.86	D.143
standard test methods	D.82	D.84	
Fiberglass piping	D.79		
Fiberglass reinforced plastic (FRP)	D.79		
Field change request (FCR)	B.18		
Field joint coatings	C.293		
Field or gathering stations	C.272		
Field test pressure	A.399	C.524	
Filament	D.145		
Filament winding	D.89	D.90	
Filament wound pipe	D.90		
Filler metal	A.282	A.303	
Filler valves	C.870		
Fillers	D.15	D.91	
Fillet weld	A.107	A.291	
Filter selection	C.780		
Filters	B.490	C.776	C.779 C.817
Finite element analysis (FEA)	A.388	B.155	B.156
Fire fighting	C.4		
Fire hazard	A.14	B.100	
Fire hydrants	C.66		
Fire protection	B.99	B.304	
Fire protection systems	B.236		
foam	C.60		
Fire safety	C.334		
Fire suppression system	C.53		
Fired heater piping	C.368		

Index terms

Links

Fish eye	B.528		
Fitting losses	C.494	C.495	C.501
Fitting-in-manhole	B.620		
Fittings	C.531		
cast-brass threaded	A.56		
cast bronze threaded	A.56		
cast iron flanged	A.58		
cast iron threaded	A.55		
ductile and cast iron	A.54		
forged branch	A.76		
malleable iron threaded	A.56		
pipe	A.53		
soldered joint	A.57		
steel and nickel alloy flanged	A.58		
threaded and socket welding	A.58		
wrought steel butt welded	A.71		
Fixture battery	C.694		
Fixture unit (FU)	C.625	C.669	C.707
Fixture unit of flow rates	C.625		
Flame resistance	D.109		
Flammability	C.535		
Flammability limits	C.810		
Flammable fluids	C.436		
Flammable gases	C.809		
Flange adapter	A.403		
Flange dimensions	A.345	A.351	
Flange faces	A.336	C.332	
flat face	A.336		
male and female	A.338		
raised face	A.336		
tongue and grooved	A.338		
Flange materials	B.24		
Flange reduction	B.559		
Flange stress analysis	A.386		
Flange test plug	B.661	B.681	
Flange types	A.90		
ductile and cast iron	A.88		
integral type	A.91		
loose type	A.91		
optional type	A.91		
steel and nickel alloy	A.89		
Flange weld plug	B.660		
Flanged joints	C.681		
Flanges	A.333	A.338	C.324 C.552
lap joint	A.335	A.337	
slip-on	A.335	A.337	

Index terms

Links

Flanges (Cont.)									
socket-weld	A.335	A.337							
swivel ring	A.336	A.337							
weld-neck	A.333	A.338							
Flare header piping	C.374								
Flared joints	C.682								
Flash arrestors	C.819								
Flash gas	C.489								
Flashing and sealing	B.295								
Flashing cavitation	C.6								
Flat	A.367								
Flaw	A.15								
Flexibility	C.30	C.32	C.115	C.175	C.427				
Flexibility analysis	C.347								
Flexibility factor	B.120	B.121	B.142						
Flexible	D.50	D.59							
Flexible couplings	A.428	A.429	A.430	A.437	A.450	A.455	B.201		
	B.203								
Flexible hose	C.428	C.549							
Flexural stiffness	D.63								
Floor drain	B.99	C.685	C.686						
Flow									
fully packed	C.605								
slack flow	C.605								
Flow assisted corrosion (FAC)	B.20	B.55	C.42						
Flow balancing	C.49								
Flow behavior									
laminar	C.577								
Newtonian	C.573								
non-Newtonian	C.573	C.596							
turbulent	C.577								
Flow coefficient	A.461	D.116	D.117						
Flow control element	A.461								
Flow controls	C.49								
Flow limit shutoff valves	C.818								
Flow loss	D.114								
Flow measurement devices	C.820								
Flow rate reduction	C.807								
Flow rate	C.701	C.833							
Flow regime map	B.417								
Flow resistance coefficients	B.380								
Flow switch	C.54								
Flow velocities	C.546								
Flow-accelerated corrosion	B.20	B.55	C.42						
Flowmeter	B.404	C.275							
Fluid	B.354								

<u>Index terms</u>	<u>Links</u>
Fluid expansion	C.225
effects	C.315
Fluid flow metering	B.410
Fluid flows	C.15
Fluid heat tracing	B.241
Fluid Sealing Association	A.223
Fluid service	C.307
category D	C.307
category M	C.307 C.308
high pressure	C.307
normal	C.307
Fluid Control Institute (FCI)	A.222
Fluorinated ethylene propylene (FEP)	B.538
Fluoroplastics	D.27
Flush seal	A.430
Flushing	C.51 C.829
Flux	A.15
Flux cored arc welding	A.15
Fly ash	C.727 C.730 C.735 C.739 C.745
Fly ash intake	C.744
Fly ash silo	C.736
FM (Factory Mutual)	A.223
FMEAs (failure mode and effect analysis)	C.540
Foam fire suppressions	C.60
Force	A.31
cohesive	C.755
Forged pressure valves	C.393 C.394
Form losses	B.372
Forming	A.266 A.278 C.557
Fossil fuel	C.249
Free air	C.758
Free floating system	A.438
Free thermal analysis	B.160
Freeze jackets	B.686
Freeze plugs	B.682 B.684
Freeze protection	B.256 B.300
Freeze stop	B.684 B.685
Freezing temperature	C.67
Frequency	C.701
Friction	B.201
Friction factors	B.551 C.583
Friction losses	B.31
Friction pressure drop	B.381
Frictional loss	A.424 C.596 C.850
Dodge & Metzner equation	C.583
friction factor	C.583

Index terms

Links

Dodge & Metzner equation (Cont.)			
heterogeneous flow	C.593		
intermediate regime	C.596		
saltation flow	C.596		
turbulent flow	C.583		
Zandi & Govatos equation	C.593		
Froude number	B.352	B.422	
FRP jacketing	B.347		
FU (fixture unit)	C.625	C.669	C.707
Fuel analyses	C.737		
Fuel for cutting	A.266		
Fuel gas piping			
codes and standards	C.841		
materials	C.849		
purging	C.862		
sizing	C.846	C.847	C.848
testing	C.862		
underground	C.860		
Fugitive emission	A.461		
Full bore	A.461		
Full penetration	C.120		
Fully stellited	A.461		
Function of bolts	A.372		
Furan resins	D.88		
Fusion	A.15		
Fusion bonded epoxies	C.293		
Fusion zone	A.15		
Future infiltrations	C.629		
FW piping	C.6		
Galvanic	C.545		
Galvanic cell	C.40		
Galvanic corrosion	C.334		
Galvanic method	C.41		
Galvanic protection	C.295		
Galvanic series	C.41		
Galvanization	A.15		
Galvanizing	C.42		
Gamma iron	A.152	A.304	
Gas	C.763		
Gas categories	C.811		
Gas constant	C.276		
Gas distribution	C.249	C.250	C.267
Gas gathering	C.251	C.262	
Gas generators	C.814		
Gas line filters	C.844		
Gas meter(ing)	C.282	C.845	

<u>Index terms</u>	<u>Links</u>
Gas mixtures	C.821
Gas riser piping	C.854
Gas transmission	C.249 C.250 C.263
Gas transportation	C.249
Gas warmers	C.820
Gaseous fire suppression	C.57
Gaseous-fluid testing	B.652
Gasket creep	C.333
Gasket degradation	C.333
Gasket dimensions	A.352 A.353 A.354 A.355 A.357 A.363
Gasket operating stress	A.380
Gasket selection	A.378 A.431
Gasket standards	A.339
Gasket stiffness	C.333
Gasketed joints	C.679
Gaskets	A.95 B.528 C.108 C.332
compression	A.95
materials	A.95
relation of gaskets to bolting	A.97
selection of materials	A.96
Gaskets (type)	A.338 A.371
Camprofile	A.353 A.358 A.359 A.360
jacketed	A.360
lens ring	A.361 A.365
metallic	A.361
nonmetallic	A.339
RTJ	A.340 A.345 A.361
RX ring	A.363 A.364
semimetallic	A.339
spiral wound	A.339 A.353 A.355 A.375
Gate valves	C.32 C.342
Gauge (gage)	B.528
Gauge pressure	C.756
Gauges	C.818
Gel	B.491
Gel time	B.483 B.496 D.145
General arrangement	B.77
General buckling	D.69
General building codes	B.47
General service rating	A.474
Girthweld coating	B.501
Glass lined pipe	C.362
Glass pipe	B.237
Glass reinforcement	C.25
Glass scrim	B.348
Global warming	C.463

Index terms

Links

Globe valves	C.343		
Glycols	C.457		
Grain boundaries	A.145		
Grain size	A.145		
Granular fixed conduit	C.110		
Graphitization	A.163	B.56	
Gray iron	A.150		
Grid	C.74		
Grippers	B.677	B.678	B.682
Groove			
angle	A.16		
depths	C.150		
face	A.16		
radius	A.16		
segmented-ring couplings	A.16		
Grooved	A.417	A.426	
Grooved joint gaskets	A.430		
Grooved joints	C.680		
Grooved pipe couplings	A.426		
Grooved piping	A.417	A.426	A.449
Gross instability	C.333		
Grounding	B.557		
Groundwater infiltration	C.645		
Guide location	A.449		
Guide spacing	A.436	D.130	D.131
Gust response	B.177		
Gutter	C.701		
Gutter inlets	C.657		
Half stellited	A.461		
Half-couplings	B.147		
Halogen sniffer	B.657		
Halogenated gas suppression	C.57		
Halon	C.57		
Halon systems	C.82		
Hand layup	D.88		
Handhole	C.754		
Handy-cross method	C.6		
Hanger loading	B.191	B.195	
Hanger loads	B.190		
Hanger rod	B.232		
Hanger spacing	C.172		
Hangers and supports	A.16	B.222	B.228 C.73
Hard facing	A.462		
Hardenability	A.146		
Hardness	A.131	B.521	
Hardness tests	C.355		

Index terms

Links

Harness clamp	A.408				
HARP (heater above the reheat)	C.84				
Harnessing joints	C.39				
HAZ (heat affected zone)	A.17	A.278	A.283		
Hazard assessment	C.542				
Hazardous fluids	C.554				
Hazardous materials	C.533				
Hazardous piping	C.533	C.565			
brazing	C.551				
codes and standards	C.536	C.537			
design conditions	C.544				
DON'Ts	C.564				
DOs	C.564				
failure modes	C.543				
layout	C.554				
leak testing	C.553				
materials	C.544				
nonmetallic	C.545				
repairs	C.563				
soldering	C.551				
standard components	C.546				
welding	C.550				
Hazen-Williams	C.196				
coefficient	C.79	C.81	C.82		
formula	A.405	C.79	C.80		
HAZOPs (hazard and operability studies)	C.540				
HCFC (hydro-chloro-fluoro-carbon)	C.463				
HDB (hydrostatic design basis)	D.21	D.38	D.39	D.51	
Head	C.195				
Head losses	C.7	C.11	C.16		
Header	A.17	C.814	C.815		
Heat	A.35				
Heat affected zone (HAZ)	A.17	A.278	A.283		
Heat Exchange Institute (HEI)	A.223				
Heat exchanger piping	C.370				
Heat flow equation	C.211				
Heat flow rate	B.289				
Heat friction	C.210				
Heat fusion joint	A.17	C.683			
Heat gain	B.302				
Heat loss	B.256	B.266	B.268	B.269	B.298 B.301
Heat of combustion	C.416				
Heat resistance	B.528				
Heat stabilizers	D.15				
Heat tracing methods	B.92	B.243	B.556	D.139	
Heat transfer fluids	B.323				

<u>Index terms</u>	<u>Links</u>					
Heat treatment	A.261	A.294	A.304	A.305	A.322	C.350
annealing	A.305					
furnace	A.308					
local	A.309					
normalizing	A.305					
postforming	A.309					
preheat	A.283	A.284				
PWHT (postweld heat treatment)	A.310					
stress relieving	A.305	A.322				
Heater above the reheat (HARP)	C.84					
Heater cable rating	B.270					
Heater cable selection	B.267					
Heater drains	B.98					
Heater reliability	B.254					
Hedstrom number	C.577	C.578	C.582			
HEI (Heat Exchange Institute)	A.223					
Helicoid	C.274					
Helium leak detectors	B.656					
Helium sniffer	B.657					
Henry-Fauske model	B.437	B.445				
Heterogeneous flow	C.586					
HGL (hydraulic grade line)	B.374	B.378	C.11	C.14	C.15	
HI (Hydraulic Institute)	A.224					
HI standards	A.224					
High cycle fatigue	B.111					
High pressure piping	C.6					
High vapor-pressure pipelines	C.241					
Holiday	B.483	B.529				
detection	B.501					
Hollomon-Jaffe parameter	A.148					
Hook's Law	A.128					
Hoop stiffness	D.61	D.66				
Hoop stresses	B.34					
Hopper isolation	C.744					
Horizontal fixed position	A.17					
Horizontal rolled position	A.17					
Hose couplings	A.87					
Hose nipples	A.87					
Hot bending	A.17					
Hot boiled	B.687					
Hot-gas line	C.459					
Hot oil system	C.214					
Hot oils	B.324					
Hot piercing process	A.256					
Hot reheat system (HRS)	B.94	C.89	C.90	C.117		
Hot taps	A.17					

Index terms

Links

Hot water	B.318	C.711					
Hot water temperature	C.723						
Hot working	A.18						
House drain	C.685						
House sewer	C.685						
House trap	C.685						
HRS (hot reheat system)	C.90	C.117					
Hub and spigot	C.672						
Hubless	C.672						
Hydrant systems	C.61						
Hydrate considerations	C.263						
Hydraulic grade line (HGL)	B.374	B.378	C.11	C.14	C.15		
Hydraulic gradient	C.198	C.204	C.205	C.206	C.207	C.215	C.230
	C.605						
Hydraulic impact	C.640						
Hydraulic Institute (HI)	A.224						
Hydraulic jet	C.664						
Hydraulic jump	C.38						
Hydraulic principles	C.640						
Hydraulic radius	A.18						
Hydraulic systems	C.732						
Hydraulic transient effects	C.316						
Hydraulic transient loads	B.48						
Hydraulically remote	C.711						
Hydraulics	A.404						
Hydraulics of sewers	C.635						
Hydrocarbons	C.309						
Hydro-chloro-fluoro-carbon (HCFC)	C.463						
Hydrodynamic conditions	C.43						
Hydrogen attack	A.162	C.345					
Hydropneumatic tank	C.141						
Hydrostatic design basis (HDB)	D.21	D.38	D.39	D.51			
Hydrostatic head effects	C.315						
Hydrostatic pressure	B.367						
Hydrostatic test plugs	B.675	B.676	B.679	B.681			
Hydrostatic test pressure	C.123						
Hydrostatic test set-up	B.670						
Hydrostatic testing	B.90	B.652	B.655	B.669	C.175	D.140	
Hypalon	B.526						
Hypalon mastics	B.347						
I.D. or ID	B.529						
Ice load	B.40	B.41					
IEEE (Institute of Electrical and Electron-ics Engineers)	A.202						
Standards	A.224	A.225					
IGSCC (intergranular stress corrosion cracking)	A.164						

<u>Index terms</u>	<u>Links</u>
Immersion testing	B.529
Impact test	A.18 A.132 C.416 C.527
Imperfection	A.18
Impermissible pumping	C.661
Imperviousness	C.42 C.650
Imperviousness factor	C.701
Imposed thermal movements	B.156 B.160
Impressed current	C.294
Impressed-current method	C.41
Impurity	C.711
Incomplete fusion	A.18
Incompressible flow	B.394
Incompressible liquid	B.457
Indication	A.18
Indirect waste	C.685
Indirect-fired	C.711
Individual vent	C.695
Induction bending	A.275 A.276 C.320
Induction heating	A.18 B.252
Industrial sewage	C.624
Industry Risk Insurers (IRI)	C.84
Inert gases	C.809
Inertness	C.41
Infiltration	C.621 C.624 C.634
Inflow	C.621 C.625
Influence length	B.201
Ingot, Blooms	A.246
Inlet time	C.701
In-line subcooler	C.443
cryogenic	C.444
Inner ring	A.358
Insert rings	B.577
Inspection	A.18 C.663
Installation drawings	A.263
Institute of Electrical and Electronics Engi-neers (IEEE)	A.202 A.224 A.225
Instrument air	C.796
Instrument lines	C.435
Instrument piping	A.18 C.378
Instrument Society of America (ISA)	A.225 A.228 B.4
Instrumental symbols and identification	B.4
Instrumentation	C.750
Insulated pipe	B.290
Insulating joints	C.295
Insulation	B.91 C.397 C.518 D.139

<u>Index terms</u>	<u>Links</u>
Insulation materials	B.292
calcium silicate	B.327
cellular glass	B.328
elastomeric foam	B.331
fiberglass	B.332
mineral wool	B.332
perlite	B.335
phenolic foam	B.337
polyisocyanurate	B.338
polystyrene foam	B.337
polyurethane foam	B.338
Insulation system	B.294
Insulation thickness	B.325 B.337
Integral jacketed	C.360
Integral wearback	C.732
Integral welded attachment (IWA)	B.150
Intensity	C.701
Interactive design	B.104
Intercept valve (IV)	C.84 C.128 C.129
Interceptor	C.627 C.685 C.687
Interface temperature	B.320
Interference(s)	B.79 B.104
Intergranular attack	A.164
Intergranular stress corrosion cracking (IGSCC)	A.164
Interior piping	C.861 C.863
Interior storm water drainage	C.700
Intermediate pressure (IP)	C.84
Internal coating	C.292
Internal design pressure	C.21 C.94 C.222
Internal discontinuities	A.315
Internal machining and backing rings	A.102 A.103
Internal misalignment	A.287
Internal piping	C.446
Internal pressure	B.67 B.72 C.23 C.222 C.224
Internal pulsations	C.316
Internal-anchor coupling	B.583
Internal-anchoring	B.581 B.582
Internal-baffle	B.582 B.584
Internally insulated piping	C.314
International piping materials	E.69 E.81
International plumbing code	C.668
Interpass temperature	A.18 A.283 A.285
International Standards Organization (<i>see ISO</i>)	
Interpretations	A.181

<u>Index terms</u>	<u>Links</u>
Interruptible service	C.843
Interstitial alloy elements	A.127
Interstitial supports	B.587 B.631 B.632
Invert	C.685
Ion	C.711
IP (intermediate pressure)	C.84
IRI (Industry Risk Insurers)	C.64
Iron-carbon equilibrium diagram	A.153
Iron oxide	C.40
Iron pipe making	A.244
ISA (Instrument Society of America)	A.225 B.4
ISA Recommended Practices	A.225
ISA standards	A.225 A.228
ISO (International Standards Organization)	B.5 E.196 E.212
ISO Standards	A.240 E.196 E.212
Isobaric process	C.756
Isochoric process	C.756
Isolation	C.32
Isolation valves	A.488
Isophthalic polyester resin	D.88
Isostatic moldings	B.535
Isothermal crude oil	C.236 C.239
Isothermal flow	B.392
Isothermal process	C.756
Isothermal transformation	A.155
IV (intercept valve)	C.84 C.128 C.129
IWA (integrated welded attachment)	B.150
Jacketed-lined pipe	B.557
Jacketed pipe	C.358 C.359
Japanese standards	A.239
Joining ductile or cast iron pipe	A.114
Joining thermoplastic piping	D.27 D.29
flanged	D.29
heat fusion	D.28
socket-spigot	D.28
threading	D.29
Joint	A.114 A.323 B.28 B.483 C.822 B.359
adhesive	D.92
alignment	A.321
ball and socket	A.117
ball expansion	A.84
bell and spigot	A.114 A.407 D.92 D.94
bellows type expansion	A.84
bolted	A.87
bonded	A.410
brazed	A.99 A.109 B.29

Index terms**Links**

<u>Index terms</u>	<u>Links</u>			
Joint (Cont.)				
butt and wrap	D.93	D.94		
butt welded	B.28			
compression	B.30			
coupling	A.324			
efficiency factor	C.319			
expansion	A.84			
flanged	A.323	B.30	D.93	D.94 D.139
grooved	A.417	A.426	A.455	B.30
integrity	A.333	A.396		
leakage	C.32			
mechanical	A.323	D.95		
mechanical (gland type)	A.114			
mechanical lock type	A.115			
mechanical push on type	A.115			
mechanical screw-gland type	A.115			
penetration	A.18			
pressfit	A.417	A.418	A.419	
protection	B.474	B.475	B.476	B.478
restrained	A.408			
rubber expansion	A.86			
screwed	B.29			
shouldered	A.426			
slip type expansion	A.84			
snap ring	A.408			
socket welded	B.29			
soldered	B.29			
stiffness	A.373	A.375		
straight-socket	D.92			
subaqueous	A.409	A.411		
testable	A.409	A.410		
threaded	A.86	A.323	B.29	D.93 D.94
Tyton	A.115			
universal type	A.117			
weld factor	C.219			
welded	A.99			
Joule-Thomson effect	C.349			
Junction chamber	C.657	C.658		
Killed steel	A.151			
Kinematic viscosity	A.18			
Knife gates	C.745			
Knife line attack	A.165			
Kryo-genikos	C.391			
Laboratory diversity	C.855			
Laboratory vacuum system	C.831			
Lading/vessel	C.396			

Index terms

Links

Ladle analysis	A.128		
Laminar flow	A.19	C.240	
Lantern ring	A.462		
Lap joint flanges	C.314	C.331	C.553
Lap seam	B.529		
Lapped joint	A.19		
Large flange	C.331		
Larson-Miller parameter	A.168		
Latent heat	C.875		
Lateral restraint	A.439		
Lateral sewer	C.620		
Latrolets	B.147		
Launching	C.290	C.291	
Law of equilibrium	A.32		
Laying length	A.398		
Layout	A.278		
Layout considerations	B.75	B.106	
LCP (lined cylinder pipe)	A.400	A.407	A.410
Leader	C.685	C.701	
Leak detection	C.232	C.283	
Leak detector	B.655	B.674	
Leak seating	A.332		
Leak test	A.261	A.326	B.671 C.553
Leak tight	B.551		
Leak tightness	C.333		
Leakage integrity	B.28	B.29	A.331
Leakage surveys	C.299		
Leak-off connection	A.462		
LEL (lower explosive level)	C.810		
Life cycle cost	C.310		
Life fraction summation	A.136		
Light aging	B.529		
Light water reactor (LWR)	C.83		
Line load	C.316		
Line regulator	C.845		
Line sensing control	B.281		
Linear	A.462		
Linear flow characteristics	A.462		
Linear movement	A.435	A.441	
Lined cylinder pipe (LCP)	A.400	A.407	A.410
Lined fittings	B.536		
Lined pipe	A.301		
Lined piping	B.499		
Lined piping cost ratio	B.543		
Lined valves	B.536		
Liner material	B.537		

<u>Index terms</u>	<u>Links</u>
Linings	B.54
Liquefaction	C.392 C.394
Liquefied petroleum gas (LPG)	C.839 C.863 C.876
Liquid flashoff	C.423
Liquid level sensing	B.642
Liquid lines	C.478 C.488 C.503
Liquid oxygen evaporation	C.435
Liquid penetrant examination or inspection	A.19
Liquid phase	C.359
Liquid ring compressors	C.767
Liquid storage	C.391
Liquid-petroleum pipeline	C.186
Liquids	C.763
Liquified gas	B.324
Live load	C.531 D.134
Live loading	A.367
LNG (liquefied natural gas)	C.851
Load bearing attachments	B.216
Load factor	C.192
Load rating	B.233
Loading conditions	B.20 B.31
Loading considerations	B.218
Loads	C.99
LOCA (loss of coolant accident)	B.160
analysis	B.172
Local barometric pressure	C.803
Local preheating	A.19
Local stresses	B.148 B.149
Local stress-relief heat treatment	A.19
Localized stress concentration	D.40
Location classes	C.256
Location of supports	B.217
Lockhart and Martinelli	C.420 C.421 B.422
Locknuts	A.367
Long radius elbows	B.89
Long term hydrostatic strength (LTHS)	D.38
Longitudinal effects	D.72
Longitudinal joint factor	C.257
Longitudinal seams	C.349
Longitudinal skived	B.513
Loop vent	C.695
Loss of coolant accident (LOCA)	B.160
analysis	B.172
Low cycle fatigue	B.112
Low flow protection	C.368
Low pressure source	C.269

<u>Index terms</u>	<u>Links</u>
Low temperature design criteria	C.526
Lower explosive level (LEL)	C.810
LPG (liquefied petroleum gas)	C.839 C.863 C.866
pipe sizing methods	C.876
pumps	C.879
storage tanks	C.863
LTHS (long-term hydrostatic strength)	D.38
Lubricants	A.514 D.15
LWR (Light Water Reactor)	C.83
Mach number	B.353 B.392 B.393
Magnetic particle examination	A.19
Main and feeder network	C.83
Main gas systems	C.272 C.273
Main sewer	C.620
Main steam system	B.94 C.89 C.100 C.101
Main vent	C.695
Mainline	C.251
Mainline valve	C.265 C.266 C.267
Maintainability	C.346
Makeup water	C.5
Malleable iron	A.19 A.150
Man holes	C.643 C.657
Mandrel (Pilger) mill process	A.247
Manganese	A.156
Manifold assembly	C.814
Manifolds	C.815
Mannesmann plug mill process	A.249
Manning equation	C.636 C.637 C.638 C.639 C.645 C.653
Manning formula	B.447
Manning roughness factor	B.447
Manufacturers Standardization Society (MSS)	A.228 A.232
Manufacturing tolerance	B.33 C.24
MAOH (maximum allowable operating head)	C.197 C.205
MAOP (maximum allowable operating pressure)	C.197 C.201
Marconaflo technique	C.607
Marine condensers	C.516
Mass flow meters	C.820
Mass point spacing	B.165
Mass transfer coefficient	C.46
Mastic	B.436
Material safety and data sheet (MSDS)	C.417 C.802
Material selection	C.544
Material specifications	A.169
Materials for welding	C.348

Index terms

Links

Maximum acceptable pressure	C.711		
Maximum building demand	C.711		
Maximum velocity	C.422	C.518	
Maximum working pressure	A.432		
Mean temperature	B.322		
Mean velocity of flow	A.19		
Mechanical cabinet exhaust	C.812		
Mechanical coupling	C.72		
Mechanical factors	C.354		
Mechanical (gland type) joints	A.112	A.113	C.330
Mechanical joint	A.20	C.559	C.679 C.680
disengagement	C.543		
Mechanical loads	C.316		
Mechanical strength	B.34	C.25	
Melt stick	B.503		
Melting temperature	A.144	A.145	
Membrane stress	B.110		
Metallic materials	A.149		
Metallic pipe and fittings	A.243	C.544	C.672
Meter assembly	C.844	C.858	
Metering	C.232		
Methods of analysis	B.47		
response spectra	B.47		
seismic	B.48		
static coefficient	B.47		
time history	B.47		
Microbiological growth	C.5		
Mill length	A.20		
Mill tolerance	C.149		
Mineral insulated cable	B.249		
Mineral salts	C.39		
Minimum	B.35		
acceptable pressure	C.711		
support width	D.127		
thickness	C.24		
Missing mass effect	B.166		
Miter	A.20	C.321	C.322
Miter joint	C.529		
Mitered fittings	D.92		
Mobile equipment	C.391		
Mobile equipment system	C.391	C.445	
Modal response spectra	B.162		
Modifications	C.131		
Modulus of elasticity (Young's modulus)	A.128	C.25	E.107
for metals	A.130	A.131	
Moisture content of air	C.764	C.765	

<u>Index terms</u>	<u>Links</u>
Moisture detection	B.642
Moisture separator	C.768
Molybdenum	A.156
Moment	A.32
Monochloride fluoromethane	C.462
Moody diagram	B.371 B.372 C.12
Moody model	B.430 B.431 B.441
Mortar	B.469 C.654
MSDS (material safety and data sheet)	C.417 C.802
MSS (Manufacturers Standardization Society)	A.228
MSS Standard Practices	A.228 A.232
MTA (million tonnes per annum)	C.192
Multifilament strings	B.514
Multiphased flow	C.242
Multiple load paths	B.48
Multiple primary pipe	B.635
Multiple ratings	A.474
Multiproduct pipelines	C.240
NACE (National Association of Corrosion Engineers)	B.512
National Fire Protection Association (NFPA)	A.232 A.233 A.474 C.802
National Insulation Association (NIA)	B.287
National Micrographic Association (NMA)	B.5
National Sanitation Foundation (NSF)	B.483
National standard code	C.668
Natural gas (NG)	C.249 C.839 C.843
liquid (NGL)	C.210 C.240
pipe sizing	C.855 C.858
Natural rubber	B.524
NBR	B.529
NCR (nonconformance report)	B.18
NDE (nondestructive examination)	A.20 A.261
liquid penetrant	A.315
magnetic particle	A.316
radiographic	A.313
ultrasonic	A.315
visual	A.313
Near azeotropic refrigerant mixtures (NARM's)	C.466
Negative pressure dilute phase	C.728
Neoprene	B.526
NER (normal evaporation rate)	C.394 C.396
Nerve	B.529
Nested	B.483

<u>Index terms</u>	<u>Links</u>			
Net positive suction head (NPSH)	B.463	B.464	C.22	C.440
Newtonian fluid	B.367			
Newtonian liquid	A.20			
Nexus	D.145			
NFPA (National Fire Protection Association)	A.232			
publications	A.232	A.233		
rating	A.474			
NG pipe sizing	C.855	C.858		
NGL (natural gas liquid)	C.210	C.240		
NIA (National Insulation Association)	B.287			
Nickel	A.156			
Nickel and nickel alloys	A.175			
Nil-ductility transition temperature	A.132			
Nipple	A.20			
Nitrile rubber	B.526			
NMA (National Micrographic Association)	B.5			
No-break zone	B.174			
Noise	C.21	C.22		
Noise control	B.305			
Nominal composition of wrought copper materials	A.173			
Nominal Diameter (DN)	A.20			
Nominal thickness	A.20			
Nominal	B.38			
Nonclog centrifugal pumps	C.659			
Nonconformance report (NCR)	B.18			
Nondestructive examination (NDE)	A.20	A.261	A.313	A.315 A.316
Nonferrous pipes	C.614			
nonferrous pipe making processes	A.255			
Nonisotropic	C.545			
Nonmetallic piping	C.545			
Nonmetallic spacers	C.429			
Nonrising stem	A.484			
Nonuniform flow	C.642			
Normal	B.39			
Normal air	C.756			
Normal evaporation rate (NER)	C.394	C.396		
Normal operating temperature	B.39			
Normal operation	B.32			
Normal pressure	C.711			
Normalizing	A.305			
Nozzle	A.21			
NPSH (Net position suction head)	B.463	B.464	C.22	C.440
NRC (Nuclear Regulatory Commission U.S.)	B.4			

<u>Index terms</u>	<u>Links</u>		
NSF (National Sanitation Foundation)	B.483		
Nuclear plant a critical concern in	C.5		
Nuclear Regulatory Commission (NRC)	B.4		
Nuclear steam supply system (NSSS)	C.84	C.90	C.91
Nut material	C.109		
Nuts	C.109		
heavy series	A.364	A.368	A.369
Nuvaloy	C.733	C.738	
Nylon powder linings	B.484		
O-ring gasket	A.398		
Occupational Health and Safety Act (OSHA)	B.93		
OBE (operating basis earthquake)	B.161		
O.D. or OD	B.529		
Occasional loadings	B.159		
Occasional loads	B.118	B.135	B.139 B.144
Off gauge	B.529		
Off-loading	B.501		
Offset	A.288	C.685	
Oil return	C.504		
One and two family dwelling code	C.668		
Open channel flow	C.635		
Open discharge	B.86	B.87	
Open-hearth furnace	A.245		
Open seam	B.529		
Operability	B.47	B.92	C.346
Operational license (OL)	A.189		
Optimization of line size	B.374		
Optimum cure	B.529		
Optimum hydraulic design	C.7		
Optimum sizing	C.467		
Ordinary bedding	C.662		
Orifice	B.411	B.444	
Oroskar & Turian correlation	C.588		
OSHA (Occupational Safety and Health Act)	B.93		
Outfall sewer	C.620	C.627	
Outgasing	C.823		
Ovality	A.269	C.119	
Ovality correction factor		D.54	
Over lay	B.529		
Overflow	C.701		
Overhead position	A.21		
Overland flow time	C.701		
Overlap	B.513		
Overpressure	B.32		
Overpressure protection	C.124	C.282	

<u>Index terms</u>	<u>Links</u>				
Owner	C.535				
Oxidation	A.128	B.529			
Oxidative	D.40				
Oxide thickness	A.166				
Oxidizers	C.809				
Oxidizing flame	A.21				
Oxyacetylene cutting	A.21				
Oxygen cutting	A.21				
Oxygen gas piping	C.418	C.422			
Oxygen gouging	A.21				
Oxygen index	C.416				
Ozone depletion	C.463				
P&ID (piping & instrumentation diagram)	B.7	B.8	B.11	B.12	B.78
Parallel piping	C.8	C.9			
Paramagnetic materials	A.316				
Particulates	C.763				
PASC (proportional ambient sensing con-trol)	B.282				
Pass	A.21				
Passivation	B.470				
Paste extrusions	B.534				
Patch	B.503				
PB (polybutylene)	D.4	D.24			
PCCP (prestressed concrete cylinder pipe)	A.397	C.23			
PE (polyethylene)	B.541	D.4	D.22		
Peak design flows	C.629				
Peak stress intensity	B.116				
Peaking factor	C.629				
Pearlite	A.304				
Peel test	A.21				
Peening	A.21	C.349			
Penetration	B.201				
Penetration anchors	B.203				
Per capita flow	C.627				
Perfect vacuum	C.756	C.803			
Performance test codes (PTC)	A.201	A.202			
Permeability	B.307				
Permeance	B.308				
Personnel comfort	B.296				
Personnel protection	B.294				
Petroleum characteristics	C.188	C.189			
Petroleum refinery piping	C.309				
PEX (crosslinked polyethylene)	D.4	D.25			
PFA (perfluoro alkoxy)	B.538				
PFI (Pipe Fabrication Institute)	A.233	A.263	B.76	C.350	
Bulletins	A.234				

<u>Index terms</u>	<u>Links</u>
Engineering Standards	A.233 A.234
pH	B.529
pH probe	B.646
Phenolic resins	B.484 D.88
Phosphorus	A.155
Physical attributes	B.19
Physical damage	B.20 B.54
Physical design drawings	B.14
Physical metallurgy of steel	A.151
Physical properties of air	C.759
Physical strength	C.672
Physicalization	B.77
allowable	C.189 C.190
bending	B.79
racks	B.91
Pickle	A.21
Piezometer	C.15
Pigging	B.241
Pigments	B.490
Pilger (Mandrel mill process)	A.247
Pilot line	C.56
Pilot operated	C.845
Pilot operated relief valve (PORV)	C.279
Pin ball machine	C.291
Pinhole	B.522
Pipe	
bell-welded pipe	A.9
cast	A.254
cast iron	A.254
cast steel	A.255
cement lined cast iron	A.121
cement lined ductile iron	A.121
cement lined steel	A.121
centrifugal cast pipe	A.10
cold wrought steel	A.255
concrete cement and cement lined	A.120
concrete pressure pipe	A.399
continuous welded pipe	A.11
diameter nominal (DN)	A.4
double submerged arc-welded pipe	A.12
electric flash welded pipe	A.13
electric fusion-welded (EFW) pipe	A.13
electric resistance welded (ERW) pipe	A.13
embedded cylinder pipe (ECP)	A.400 A.407 A.410
extruded pipe	A.14
forged and bored-pipe	A.15

<u>Index terms</u>	<u>Links</u>
Pipe (Cont.)	
forged seamless	A.250
furnace welded	A.252
fusion welded	A.252
lined cylinder pipe (LCP)	A.400 A.407 A.410
metallic	A.243
nominal pipe size	A.4 A.20
nonreinforced concrete	A.120
pipe alignment guide	A.21
pipe supporting fixtures	A.21
pipeline or transmission line	A.22
pression nominal (PN)	A.6
reinforced and prestressed concrete	A.121
reinforced concrete	A.121
rolled pipe	A.24
rubber-lined	B.507
schedule	A.4 A.5
seamless	A.247
seamless pipe	A.25
size	A.4
spiral welded pipe	A.27
statically cast pipe	A.27
welded	A.252
wrought pipe	A.31
Pipe and rod sizes	B.233
Pipe and tube	
aluminum and aluminum alloy	A.255
cold and hot finishing	A.251
copper and copper alloy	A.255
forming processes	A.246
nickel and nickel alloy	A.256
products	A.53
sizes commercial	A.257
titanium and titanium alloy	A.256
Pipe and tubing alloy specification	
copper and copper base	A.174
nickel and nickel base	A.175
Pipe attachments	B.229
Pipe bedding	C.661
Pipe branch design	C.151
Pipe break analysis	B.173
Pipe Fabrication Institute (PFI)	A.233 A.234 A.263 B.76 C.350
Pipe flow capacities	C.468
Pipe lining	B.535
Pipe lining/liner types	
ETFE (ethylenetetrafluoroethylene)	B.539

<u>Index terms</u>	<u>Links</u>
FEP (fluorinated ethylene propylene)	B.538
PE (polyethylene)	B.541
PFA (perfluoroalkoxy)	B.538
PTFE (polytetrafluoroethylene)	B.538
PVDC (polyvinylidene chloride)	B.539
PVDF (polyvinylidene fluoride)	B.539
Pipe manufacturing methods	A.259
Pipe material	C.821 C.833
Pipe misalignment	A.453
Pipe rupture	B.456
Pipe sizing	C.79 C.80 C.721 C.823 C.836 C.849
process	C.493
Pipe supports	A.325 B.91 B.215 C.556
Pipe toughness	C.28
Pipe wall thickness	C.148
selection	C.22
Pipeline alignment	C.39
Pipeline booster stations	C.272
Pipeline maintenance	C.298
Pipeline markers	C.299
Pipeline patrolling	C.298 C.299
Pipeline pigs	C.234
Pipeline routes	C.263
Pipeway	C.372
Pipe-weld joints design	A.100
Piping	A.3 C.328
ash handling	C.727
ASME materials	E.61 E.67
ASTM materials	E.61 E.67
bolted joints	A.331
British Standards	E.120 E.154
building services	C.135
codes and standards	A.179
components	A.53
compressed air	C.755
compressed gases	C.801
computer programs	E.109 E.118
concrete lining	B.469
cryogenic	C.391
DIN Standards	E.155 E.183
double containment	B.569
fabrication	A.261
fiberglass	D.79
fire protection	C.53
flexibility	B.79
flow of fluids	B.351

<u>Index terms</u>	<u>Links</u>					
Piping (Cont.)						
fuel gas	C.839					
fusion-bonded epoxy coatings	B.481					
fusion-bonded epoxy linings	B.481					
gas distribution	C.249					
gas transmission	C.249					
grooved	A.417					
hazardous	C.533					
heat tracing	B.241					
installation	A.261					
international materials	E.69	E.81				
International Standards	E.119	E.212				
ISO Standards	E.196	E.212				
isometric drawings	B.14	B.15				
Japanese Standards	E.184	E.195				
layout	B.75					
leak testing	B.651					
manufacturing	A.243					
material properties	E.101	E.107				
materials	A.125					
oil distribution	C.181					
oil transmission	C.181					
plastic-lined	B.533					
plumbing	C.667					
pressfit	A.417					
pressure testing	B.651					
process	C.305					
refrigeration	C.457					
rubber-lined	B.507					
sizing	B.59					
sludge	C.587					
slurry	C.587					
spool drawings	B.14	B.16				
steam systems	C.83					
stormwater	C.619					
stress analysis	B.107					
supports	B.215					
thermal insulation	B.287					
thermoplastics	D.3					
vacuum	C.801					
wastewater	C.619					
water systems	C.3					
Piping & instrument diagram (P&ID)	B.7	B.8	B.11	B.12	B.74	B.78
Piping classification	A.257					
Piping codes and standards	A.179	A.241	B.651			
Piping components	A.53	C.25				

<u>Index terms</u>	<u>Links</u>			
Piping failure	C.543			
Piping joints	C.71	C.103		
Piping layout	C.554			
Piping material specification	C.26			
Piping materials	A.125	B.57		
BCC (body centered cubic)	A.126			
chemical properties	A.127			
FCC (face centered cubic)	A.126	A.152		
mechanical properties	A.128			
metallurgical properties	A.145			
other properties	A.126			
physical properties	A.139	A.144	A.145	
Piping networks	C.6	C.701		
Piping system	A.22			
design	C.787			
materials	A.171			
Pitch	C.685			
Plain	A.370			
Plant efficiency	C.4			
Plant piping systems	C.4			
Plasma arc cutting	A.266			
Plasma cutting	A.22			
Plastic	A.22			
Plastic lined pipe	B.533	C.362		
Plastic linings	B.484			
Plastic pipe	B.237			
Plastic Pipe Institute (PPI)	A.234	A.236	D.5	D.39
Plasticity	A.126	B.529		
Plasticization	D.48			
Plumbing code	C.667	C.668		
Plumbing fixture	C.685	C.669	C.670	
Plumbing piping	C.667			
codes and standards	C.667	C.668		
joints	C.676			
materials	C.669	C.676		
pipe size selection	C.721			
Plumbing system	C.668			
Ply adhesion	B.529			
Ply separation	B.529			
Pneumatic leak testing	B.653	B.673		
Pneumatic placement	B.470			
Pneumatic testing	C.176	C.356		
Pocketing	B.617			
Point of use heater	C.711			
Poisonous gases	C.812	C.821		
Pollutant	C.711			

Index terms**Links**

Polyester resin	D.86	D.87			
Polyethylene (PE)	B.541	D.4	D.22		
Polymer	B.529	D.14			
Polymer chain	B.530				
Polymer insulated cable	B.250				
Polymer mechanical properties	B.562				
Polymer standard specifications	B.541				
Polyolefins	B.486				
Polypropylene (PP) pipe	B.535	B.539	C.675	D.4	D.26
Polytetrafluoroethylene (PTFE)	B.534	B.538			
Polytropic process	C.756				
Polyurethane foam	C.396	C.397			
Polyvinyl chloride (PVC)	C.675	D.4	D.18	D.20	
Pop gun	B.677				
Porosity	A.22	B.511			
Port	A.462				
Portland cement mortar	B.469	B.471			
PORV (pilot operated relief valve)	C.279				
Positive displacement	C.766				
Positive pressure dense phase	C.731				
Post indicator valves	B.100				
Postbending	A.309				
Postforming	A.309				
Postheating	A.22				
Postweld cleaning	B.497				
Postweld heat treatment (PWHT)	A.310	C.84			
Potable water	C.711				
Potable water supply	C.710				
Powder coating	B.483				
Powder insulation	C.429				
Power	A.33				
Power line carrier	B.284				
PP (polypropylene)	B.535	B.539	D.4	D.26	
PPI (Plastic Pipe Institute)	A.234	D.5	D.39		
Technical Notices	A.236				
Technical Reports	A.235	A.236			
Preaction sprinkler	C.59	C.60			
Precast trenches	B.312				
Precipitation intensity	C.650				
Precipitator	C.736				
Preengineered	B.572				
Preengineered systems	C.60				
Preheat	A.184	A.283			
Preheating	A.22				
Press molding	D.91				
Press relief valve (PRV)	C.829				

<u>Index terms</u>	<u>Links</u>			
Pressfit	A.417	A.426		
supports	A.421			
Pressure	A.22	D.91		
binding	A.494			
class	B.62	B.63		
classification	B.23			
integrity	B.21	B.33	B.34	
rating (PR)	D.51			
Pressure classes	C.673			
Pressure control valve	C.65			
Pressure cure	B.530			
Pressure dewpoint	C.762			
Pressure drop	C.466	C.808		
Pressure enthalpy chart	C.398			
Pressure force mains	B.619			
Pressure head	A.23			
Pressure integrity	C.346			
Pressure integrity standards	B.22	B.61		
Pressure loads	B.145			
Pressure loss	C.492			
Pressure piping system	B.608			
Pressure reducing station	C.107			
Pressure reducing valves	C.65	C.142		
Pressure regulating valve (PRV)	C.719			
Pressure regulators	C.845			
Pressure relief device	A.489	C.341	C.868	
Pressure relief valves	C.33	C.279		
Pressure stress	B.157			
Pressure surges	C.21	C.230		
Pressure-temperature rating	A.435	B.26	C.21	C.319
cast iron fittings	A.55			
cast iron pipe flanges and flanged fittings	A.59			
malleable iron fittings	A.56			
pressure tight joints	A.87			
special class valves	B.65			
standard class valves	B.64			
Pressure test data sheet	B.618			
Pressure testing	B.551	B.651	C.121	C.355 C.828
Pressure tubing	A.53			
Pressure vessel piping	C.363			
Pressure Vessel Research Council (PVRC)	A.332	A.379		
Pressure vessels	C.21			
Pressure wave	C.229			
Pressure zone	C.711			
Prestressed concrete cylinder pipe (PCCP)	A.397	A.415	C.23	
Preventing backflow	C.34			

Index terms

Links

Prevention of accidental operation	C.302	
Primary bank	C.814	
Primary pipe	B.577	
Primary stress	B.109	
Primary stress intensity	B.114	
Prime agents	C.39	
Primers	B.494	
Priming	B.494	
Probe monitoring system	B.640	
Process control	B.297	
Process hazard analysis	C.535	
Process piping	C.305	C.387
bolting materials	C.336	
codes and standards	C.312	C.313
examination	C.353	
fitting standards	C.327	
flange materials	C.330	
gasket materials	C.335	
hydrostatic tests	C.355	
inspection	C.353	
layout	C.363	
loading	C.314	
materials	C.326	C.344
pneumatic tests	C.356	
testing	C.353	
Process plant piping	C.309	C.310
Process safety management	C.535	
Processing aids	D.15	
Profile	B.530	
Profile elevation	C.199	
Propane (R-290)	C.463	C.867
Propane mixer	C.871	C.872
Propane/Air Mixers	C.872	
Properties of cryogenic fluids	C.400	
Properties of gases	E.87	
Properties of water	C.13	E.84
Property modifiers	D.15	
Propylene glycol	C.457	
Protection saddles	B.229	
Protective coatings	B.239	C.41
Protective conduits	C.83	C.109
Protective linings	C.656	
Pseudo loops	C.7	C.8
Pseudocritical pressure	C.260	
Pseudocritical temperature	C.260	
psi	B.530	

<u>Index terms</u>	<u>Links</u>
PSM regulations	C.537
PTC (Performance Test Codes)	A.201 A.202
PTFE (polytetrafluoroethylene)	B.534 B.538
Pump piping	C.366
Pump selection	C.228
Purge	C.275
Purge devices	C.819
Purging	A.23 C.829 C.862
Purifier	C.460 C.817
Purity cleanliness and	C.823
PVC (polyvinyl chloride)	C.675 D.4 D.18 D.19 D.20
PVC pressure rated pipe	C.31
PVDC (polyvinylidene chloride)	B.533 B.538
PVDF (polyvinylidene fluoride)	B.539 D.4
PVRC (Pressure Vessel Research Council)	A.332 A.379
PWHT (Postweld heat treatment)	A.310 C.84
PWR (Pressurized Water Reactor)	C.100
Pyrophoric gases	C.812
Qualification Inspection or Test	B.530
Quality assurance (QA)	A.262
Quality conformance inspection or test	B.530
Quality control (QC)	A.262
Quenching	A.23
Rack piping	C.372
Radial misalignment	C.348
Radiance	B.288
Radiation	B.288
Radical compaction	B.470
Radiographic examination	A.23
Rainfall frequency	C.632
Rainfall intensity	C.633
Ram extrusion	B.535
Random radiography	C.354
Rankine cycle	C.127
Rapid closure	B.459
Rate of cure	B.530
Rate of rainfall	C.701
Rated vacuum	C.808 C.827
Rational gas flow formula	C.253 C.254
Rational method	C.630
Raw water	C.711
RCRA (Resource Conservation and Recovery Act)	B.570
Reactive force	C.280
Reactive hazard	C.802
Reactivity	C.535
Reasonable velocities	C.114

<u>Index terms</u>	<u>Links</u>
Receivers	C.832
Reciprocating compressor	C.365 C.766
Recirculation-type systems	C.5
Recommended velocity	C.834
Recovery	B.530
Recovery rate	C.711
Recrystallization	A.145
Red brass pipe	C.155
Reduced pressure zone	C.713
Reducers	C.324
Reflectance	B.288
Reflected wave	C.229
Refractory lined pipe	C.356 C.357
Refrigerant cooled	C.768
Refrigerant flow rate	C.463
Refrigerant R-12	B.450
Refrigeration	C.457
Refrigeration capacity	C.508 C.515
Refrigeration cycle	C.459
Refrigeration piping	C.457
codes and standards	C.458
design pressure	C.522
design	C.519
insulation	C.518
joints	C.522
limitations	C.521
materials	C.519 C.520
thickness of pipe	C.524
threaded joints	C.522
Regulating valves	A.489
Regulator assembly	C.844
Regulators	C.816 C.866
Regulatory agencies	C.626
Reheat cycles	C.125
Reheat performance	C.126
Reheat steam system	C.89
Reinforcement	A.23 C.120
Relative anchor movements	B.51
Relative density	C.195
Relative humidity	C.762
Relaxation of flange joint	A.376
Relief	C.275
Relief valve discharge loads	B.49
Relief valve outlet	B.87
Relief valve piping	C.374 C.375 C.376 C.377
Relief valve settings	C.21 C.868

Index terms

Links

Relief valves	B.670	B.674	C.38	C.818
Relief vent	C.695	C.697		
Repair	A.23	C.131	C.563	
Replaceable wearback	C.730			
Replacements	C.131			
Repressurizing	C.272			
Reserve bank	C.814			
Residual water pressure	C.711			
Resins	B.489	D.12	D.145	
Resistivity measurement	B.645			
Resource Conservation and Recovery Act (RCRA)	B.570			
Response spectra analysis	B.164			
Response spectrum curve	B.163			
Restrained end loads	D.130			
Restrained fiberglass	B.596			
Restrained lines	B.143			
Restrained pipeline	C.223			
Restraint	A.23			
Retrograde condensation	C.399			
Return bend	C.66			
Return period	C.701			
Revent	C.695			
Reverse polarity	A.23			
Reversing exchanges	C.435			
Reversion	B.530			
Reynolds number	A.24	B.353	B.370	C.45
	C.586	C.590	C.577	C.578
	C.573	C.576	C.583	
Rheological models	C.573	C.576		
bingham plastic	C.573	C.574	C.577	
Newtonian	C.573	C.574		
pseudoplastic	C.573			
yield pseudoplastic	C.573			
Rigid braces	C.317			
Rigid couplings	A.429	A.430	A.450	A.455
maximum working pressure	A.432			
support spacing	A.440	A.441		
Rigid pressure	C.23			
Ring stiffness constant (RSC)	D.65			
Riser restraint	C.77			
Riser supports	B.234			
Risers	A.449	A.450		
Risers mains	C.73			
Rising stem	A.481	A.484		
Risk-based inspection	C.535			
Road relief circuit	C.448			

Index terms

Links

Roll grooved	A.451	
Rolled groove	A.427	A.428
Roller support	C.752	
Roof drainage system	C.703	C.705
Roof overflows	C.702	
Root edge	A.24	
Root face	A.24	
Root of joint	A.24	
Root opening	A.24	
Root pass	A.293	
Root penetration	A.24	
Root reinforcement	A.25	
Root surface	A.25	
Rotary displacement meters	C.285	
Rotary screw compressor	C.767	
Rotary stem	A.484	
Rotational movement	A.435	
Roughness factor	B.447	
Route selection	C.191	C.263
Roving	D.145	
RSC (ring stiffness constant)	D.65	
Rubber	B.530	
Rubber lining	B.484	B.507
abrasion resistance	B.520	
chemical resistance	B.520	B.523 B.525
flange face	B.516	
grooved piping	B.517	
hardness	B.520	B.521
lateral	B.516	
lining thickness	B.522	B.523
multiple construction	B.513	
nozzle	B.516	
one construction	B.513	
pipe	B.507	B.531
soft	B.517	
temperature resistance	B.524	
Rubber-lined piping	B.507	
assembly	B.519	
branch limitations	B.511	
elbow limitations	B.509	B.510
gasket thickness	B.519	
inspection	B.519	B.521
maintenance	B.519	B.522
maximum length	B.508	B.518
protection	B.518	
testing	B.519	B.520

Index terms

Links

Rubber-lined piping (Cont.) weld seam limitations	B.517					
Runoff	C.701					
Runoff coefficient	C.634	C.635	C.649			
Runout	C.685					
Rupture	B.57	C.543				
Rupture disk	A.462					
Sacrificial anodes	C.294	C.295				
Saddle flange	A.25					
Safe shutdown earthquake (SSE)	B.161					
Safeguarding toxicity	C.535					
Safety	B.92	C.347				
Safety device	C.724					
Safety factor	C.662					
Safety gags	B.675					
Safety related	B.46					
Safety relief	C.108					
Safety relief valve discharge analysis	C.275	C.279	C.282			
Safety valves	B.168					
SAM (seismic anchor movement)	C.90					
Sample connections	B.167					
Sample piping	C.379					
Sandblasting	A.25					
Sanitary drainage system	B.508					
Sanitary sewer	C.684					
Sanitary vent system piping	C.620	C.627	C.628	C.644	C.647	C.648
Sargol	C.693					
Sargol and Sarlun joints	A.25					
Sarlun	A.94					
SAW (submerged arc welding)	A.25					
Saybolt universal viscosity	C.217	C.218				
SCADA (supervisory control and data ac-quisition)	B.384	B.387				
Scaling	C.234					
Scalloped	C.39					
Schedule	C.42					
Schedule number	B.35					
Scrapers	A.25					
Screwed joints	C.289					
Scrubbers	C.677	C.678				
Scupper	C.274					
SD (system description)	C.701					
SDDR (supplier's deviation disposition re-quest)	B.7					
SDR (standard dimension ratio)	B.17					
	D.30					

<u>Index terms</u>	<u>Links</u>
Seal liquids	C.831
Seam	B.530
Seating stress	A.380
Seat-leakage	A.528
Secondary bank	C.814
Secondary closures	B.626
Secondary containment piping	B.570 B.635
Secondary coolant	C.457
Secondary coolants	C.504 C.505 C.506 C.507
Secondary stress intensity	B.114
Secondary stresses	B.109 B.110
Sectional control valves	C.54
Sediment accumulation	C.5
Seismic	C.32
Seismic analysis	B.161 B.190
Seismic anchor movement (SAM)	B.167
Seismic integrity	C.68
Seismic loadings	B.218
Seismic loads	B.46
Seismic zone	B.164
Self venting line	B.446
Self-excited vibration	B.50
Self-regulating control	B.280
Self-regulating heaters	B.246
Self-regulating tracers	B.247
Semihard rubber	B.530
Semikilled steel	A.151
Semisteel	A.25
Semitrailer	C.446
Sensitization	A.285 A.307
Separations	B.500
Separators	C.776 C.780 C.832
Series piping	C.8
Service cooling water systems	C.4
Service factors	C.354
Service fitting	A.25
Service hot water	C.712 C.722
Service life	C.534
Service limits	B.113
Service line valves	C.301
Service lines	C.4
Service stop valves	C.32
Service testing	C.177
Service water	C.5
Set pressure	A.463
Settlement	B.201

<u>Index terms</u>	<u>Links</u>	
Settling velocity	C.589	C.595
Sewage pumping	C.659	
Sewer cleaning	C.664	
Sewer pipe	C.653	
joints	C.654	C.655
materials	C.653	C.655
Sewer rodder	C.664	
SFD (System flow diagram)	B.7	B.10
SFR (Start-up field report)	B.18	
Shallow sewer	C.657	
Shape factor	B.109	
Sheet wrap	B.629	
Shelf aging	B.530	
Shelf life	B.530	
Shields for insulation	B.230	
Shop details	A.264	A.265
Shore hardness	B.530	
Shot blasting	A.25	
Shutdown and restart	C.213	
Shutoff head	B.31	B.39
SI (system international)	B.359	
Sidewall area calculation	C.703	
Sidewall area	C.701	
SIF (stress intensification factor)	B.119	B.142
SIF approach	B.151	
SIF for reducers	B.147	
Sigmatization	A.165	
Significant new alternatives policy (SNAP)	C.463	
Silencers	C.781	
Silicon	A.155	
Silting	C.5	
Simultaneous fusion	B.628	
Single-bevel	A.26	
Siphon system	C.5	
Siphonage	C.34	C.36
Sizing run	C.289	
Sizing vent stacks	C.696	
Skelp	A.26	
Skin effect tracing	B.251	
Skive	B.515	
Skive butt seam	B.530	
Slack flow and control	C.604	C.605
Slack-line	C.200	
Slag inclusion	A.26	
Slide gate	C.746	
Sliding stem	A.484	

<u>Index terms</u>	<u>Links</u>
Slip-coupling	B.630
Slip-covering	B.629
Slip on flanges	C.331 C.349
Slip type joint	C.115
Slope	C.643 C.685
Slow closure	B.459
Slug	B.355 C.731
Sluice system	C.732 C.733
Sluice valves	C.745 C.747
Slurry	A.26
centrifugal pumps	C.608
diaphragm pumps	C.610
hydrohoists	C.611 C.612
instrumentation	C.615
lined steel pipe	C.615
nonferrous pipes	C.614
piston pumps	C.609
plunger pumps	C.610
ponds	C.606
pumps	C.607
reciprocating pumps	C.609
storage	C.606
tanks	C.606
Slurry characteristics	C.571
density	C.591
flow characteristics	C.591
suspension	C.571
viscosity	C.573
Slurry concentration	C.569 C.571
Slurry flow behavior	C.568
heterogeneous	C.568
homogeneous	C.568
intermediate regime	C.569 C.596
saltation regime	C.569 C.596
Slurry hydraulics	C.577
Slurry pipe	
corrosion-erosion	C.601
wall thickness	C.600
Slurry piping	C.567 C.568
instrumentation	C.615
life of pump parts	C.613
pump power	C.613
selection of valves	C.613
Slurry pipeline	C.598
positive displacement system	C.570
valves	C.613

Index terms

Links

Slurry rheology	C.572	C.574		
SMYS (specified minimum yield strength)	C.219			
S-N curve	A.134			
Sniffer	B.655			
Snow load	B.40	B.42	B.45	
Snubbers	B.233			
Sockolets	B.147			
Soil-friction	C.225			
Soil line	C.685			
Soil modulus	D.64			
Soil prism load	D.67			
Soil stiffness	D.62			
Soil stress	B.483			
Soldered joint	C.522	C.678		
Soldering	A.27	A.302	A.303	C.551
Solid pour protection	C.110			
Solids throughput	C.568	C.599		
Solution heat treatment	A.27			
Solvation	D.47			
Solvent cement joint	A.27	C.682		
Solvent cementing	D.18	D.28		
Solvent flushing	B.241			
Sonic detector	B.674			
Sonic flow	C.275			
Source nipple	A.27			
Spacers	B.536			
Spark tester	B.530			
Spatter	A.27			
Spatter loss	A.27			
Special thickness classes	C.673			
Specialty tubular product	A.258			
Specific enthalpy	B.352	B.369		
Specific entropy	B.353			
Specific gravity	A.27	B.384	B.530	
multiplier	C.858			
of liquids	E.90	E.100		
Specific heat	A.37	A.143	A.145	
Specific volume	A.27	B.531	C.462	
Specific weight	A.27			
Specification				
design	B.13			
erection	B.13			
procurement	B.13			
Spheroidizing	A.158			
Spigot ring	A.397			
Spills	A.332			

<u>Index terms</u>	<u>Links</u>
Split range	C.282
Spray ponds	C.5
Spray transfer	A.281
Spring supports	B.231
Square root-sum of squares (SRSS)	B.167
SSE (safe shutdown earthquake)	B.161
SSPC (Steel Structures Painting Council)	A.237 B.512
guides	A.237
specifications	A.237
Stability	B.492
Stack	C.685
Stacked	B.483
Stack size	C.695
Stack vent	C.695
Stagnation enthalpy	B.352 B.369 B.441 B.442
Stainless steel	A.27
Stainless steel banding	B.347
Stainless steel jacketing	B.347
Standard air	C.756
Standard atmosphere pressure	C.756 C.803
Standard components	C.546
Standard dimension ratio (SDR)	A.27 C.675
Standards (see Codes and Standards)	
bolting dimension	B.25
dimensional	B.22
pressure integrity	B.22
Standpipe	B.462
Standpipe systems	C.61
Start-up field report (SFR)	B.18
Static analysis	B.164 B.171 B.173
Static head	C.21 C.49
Static head testing	B.652
Static spark	B.531
Static water pressure	C.712
Station spacing	C.264
Steam air decoking	C.369
Steam companion piping	C.384
Steam cure (open)	B.531
Steam distribution	C.125
Steam distribution systems	C.86
Steam hammer	B.171 B.459
Steam header	C.92
Steam heat tracing	B.242 B.244
Steam leaks	C.115 C.116 C.117
Steam systems piping	C.83 C.382
Steam traps	A.80 A.81 A.82 C.112 C.113 C.383

<u>Index terms</u>	<u>Links</u>
Steam velocities	B.393
Steam working pressure (SWP)	A.463 A.474
Steel	A.150
austenite	A.152
bainite	A.154
cementite	A.153
ferrite	A.153
martensite	A.154
pearlite	A.153
Steel heat treating practices	A.157
annealing	A.157
hardening	A.158
normalizing	A.158
tempering	A.159
Steel pipe	C.156
Steel pipe making	A.245
Steel Structures Painting Council (SSPC)	A.237 B.512
Stem packing	A.484 A.486 A.487
Stem protector	A.485
Stitching	B.531
Stop valves	A.488
Storage field stations	C.272
Storage tank piping	C.370
Storm sewer	C.620 C.649 C.652
Storm water	C.701
Storm water design	C.633
Storm water inlets	C.657
Straight lobe compressor	C.767
Straight polarity	A.28
Strain gauge	C.832
Strainability	D.13
Strainers	A.82 B.90 C.338 C.340
clogged	C.50
Strap on jacket	C.361
Street pressure system	C.712
Strength	C.25 C.345
Stress	B.52
Stress allowables	B.172
Stress analysis	B.14 B.107
Stress categories	B.108
Stress corrosion cracking	B.483
Stress intensification factor (SIF)	B.119 B.142 B.147 B.151
Stress intensity	B.108 B.109
Stress limits	B.20
Stress range	B.161
reduction factors	B.118

Index terms

Links

Stress relaxation	C.333
Stress relieving	A.28 A.305 A.322
Stress rupture test	A.138
Stress-strain diagram	A.129
Stringer bead	A.28
Stroke	A.463
Structural attachments	A.28 C.121
Structural integrity	B.41
Stud material	C.109
Studbolts	A.366 A.367
Stud-stretch	A.395
Subcooled critical flow	B.439
Subcooled liquid	C.398
Subgrade reaction	B.201 B.205
Submain sewers	C.627
Submerged arc welding (SAW)	C.217 C.218
Subsonic flow	C.277
Substitutional alloying elements	A.127
Substrate	B.531
Suction line	C.459
Suction lines	C.470 C.471 C.472 C.473 C.474 C.487 C.502 C.516
Suds pressure areas	C.693
Suds relief vents	C.699
Suds venting	C.695
Sulfur	A.156
Sump and ejector vents	C.699
Sump locations	B.99
Sump pump	C.112
Superheated steam	B.457
Superheated vapor	C.398
Supervisory control and data acquisition (SCADA)	C.234
Supplemental steel	A.28
Supplier's Deviation Disposition Request (SDDR)	B.17
Support locations	B.219
Support spacings	B.197 B.199 B.219 B.220 D.57 D.58 D.113 D.128
Supporting	C.115
Surcharged flow	C.640
Surface coatings	B.677
Surface condensation	B.303
Surface discontinuities	A.315
Surface finish	A.389
Surface force	B.456

<u>Index terms</u>	<u>Links</u>
Surface preparation	B.531
Surface resistance	B.289 B.292
Surface retention	C.634
Surge	C.190 C.228 C.230 C.275
Surge control	C.37
Surge pressure	C.230 D.52
Surge tanks	C.38
Sustained loads	B.134 B.138 B.143 B.144 B.159
Sustained stresses	C.555
Sustained working pressure	D.53
Swaging	A.28
Sway braces	C.317
Sweating	C.518
Swelling	B.531
Swivel steel	A.28
SWP (steam working pressure)	A.463 A.474
Symbols	B.102
System description (SD)	B.7
System flow diagram (SFD)	B.7 B.10
System pressure	C.821
Tack	B.531
Tack cement	B.531
Tank relief valve	C.870
Tape coating	C.292
Tape wrapping	B.535
Tapping	A.413 A.414
TDH (total dynamic head)	B.370
TDR (timer-domain-reflectometry)	B.637 B.638 B.641
Tee joint	A.28
Teflon kel-F	C.453
TEMA (Tubular Exchanger Manufacturers Association)	A.237
Temper embrittlement	A.160
Temperature	A.35
Temperature correction factor	C.760
Temperature decay	B.160
Temperature derating factor	B.145 D.56
Temperature drop gradients	C.468
Temperature profile	C.209
Temperature rating	A.419
Temperature resistant	C.6
Temperature sensing	B.284
Tempering	A.28
Temporary strainers	C.48 C.49
Tensile creep	D.34 D.35 D.36
Tensile strength	B.531

Index terms

Links

Tension systems	A.393								
Termination fittings	B.578	B.579							
Test blind	B.667								
Test loads	C.531								
Test plugs	B.658								
Test pressures	B.662	B.663	B.664						
Testing	A.28	C.121	C.281	C.296	C.829	C.837			
Tetrafluoroethane	C.462								
Thermoplastic	A.29								
Thermal binding	A.494								
Thermal conductivity of pipe	A.139	A.143	C.429						
Thermal contraction	B.311								
Thermal effects	C.317								
Thermal expansion	A.143	A.442	B.118	B.136	B.184	B.203	B.311		
coefficient of	C.30	C.32	D.114	D.115	D.129	D.133			
contraction and	E.102	E.106							
Thermal expansion layout	C.99	C.224							
Thermal hydraulic gradient	B.623								
Thermal modes	C.213								
Thermal movement	B.159								
Thermal stress range	B.185	B.186	B.187						
Thermal temperature	C.555								
Therminol	B.57								
Thermoplastic	B.323								
Thermoplastic liner	C.25								
Thermoplastic piping	B.535								
Thermoplastic piping standards	D.3								
Thermoplastic valves	D.6	D.11							
Thermoset resin	D.12								
Thermosetting	D.145								
Thermosetting plastic	C.25	D.3							
Thermosiphon prime system	A.29								
Thinning	C.442								
Thixotropic liquid	A.269								
Thread depths	A.29								
Threaded connections	C.150								
Threaded flanges	C.553	C.560							
Threaded hangers	C.331								
Threaded joints	C.556								
Threading	C.103	C.104	C.105	C.311	C.522				
Threading and grooving	A.98								
Three layer coating	C.318								
Three-dimensional (3D)	B.484								
Threshold limit	B.104								
	C.802								

<u>Index terms</u>	<u>Links</u>
Throttling	A.463
Throttling and regulating	C.33
Throttling valves	C.339
Thrust blocking	C.39
Thrust blocks	C.78
TIC (total installed cost)	B.75
Tie gum	B.531
Time history analysis	B.162
Time in pipe	C.701
Time of concentration	C.631 C.701
Time temperature transformation (TTT)	A.155
Timer-domain reflectometry (TDR)	B.637 B.638 B.641
Tolerance	A.264
Tons (kw) of refrigeration	C.461
Torque calculations	A.391 A.392
Torque procedure	A.392
Torsional flexibility	C.528
Total connected load	C.782
Total dynamic head (TDH)	B.370
Total installed cost (TIC)	B.75
Toughness	A.131
Toughness (ductility)	B.57 C.25 C.345
Toxic gases	C.812 C.821
Toxic substance	C.712
Toxicity	C.538
Transfer coefficient	C.44
Transformation range	A.29
Transformation temperature	A.29 A.304
Transient effects	C.315
Transient flow	B.455
Transient flow condition	C.37
Transient pressure	A.398 B.33
Transients	B.463 B.464
Transition temperature	B.57
Transition velocity	C.577
Transmission factor	C.259
Transmission lines	C.4 C.251
Transportation gas service	C.843
Trap arm	C.695
Trapped air	B.671 B.653
Traps	A.80 B.612 C.685 C.687
Travelers	A.264
Trench design	D.135 D.136
Trepanning	A.29
Tresca criterion	B.198
Tributary area	C.701

<u>Index terms</u>	<u>Links</u>						
Tributary flow	C.622						
Trim	A.463						
Trunk sewer	C.620						
TTT (time temperature transformation)	A.155						
Tube	A.29						
Tuberculation	B.470	C.29					
Tubing classification	A.257						
Tubular Exchanger Manufacturers Association (TEMA)	A.237						
Tubular product classification	A.257						
Turbine bypass	C.91						
Turbine drains	B.97						
Turbine overspeed	C.125						
Turbine water induction	C.130						
Turbinizing	A.29						
Turbulent flow	A.29	C.241					
Two-phase flow	C.6	C.22	C.263	C.418	C.470		
Two-phase pressure drop	C.419						
Two-phase regime	C.398						
Tyler screen	C.594						
Types of gaskets	A.338	A.339	A.353	A.355	A.358	A.361	A.363
	A.365	A.371	A.375	A.384			
Tyton joints	A.116						
UCC (durite)	C.734	C.738	C.740	C.743			
U.S. Department of Transportation (USDOT)	C.392	C.446					
Ugine Sejournet Type Extrusion Process	A.249						
UL (Underwriters Laboratories)	A.238						
Ultimate tensile strength	A.129						
Ultra high purity (UHP)	C.449	C.450	C.451	C.452	C.454	C.455	C.456
Ultra low flush (ULF)	C.712						
Ultrasonic examination of inspection	A.29						
Ultraviolet screens or stabilizers	D.15						
Underbead crack	A.29						
Undercut	A.29	B.511					
Underground horizontal mains	B.617						
Underground lines	C.109						
Underground piping	B.200	C.125					
Underground steam lines	C.83						
Underground steam piping	C.83	C.86					
Underwater pipeline	C.243						
Unified numbering system (UNS)	A.169	A.172					
Uniform plumbing code	C.668						
Unit gas systems	C.272	C.273					
Unplasticized PVC (UPVC)	D.18						
Unrestrained lines	B.143						

<u>Index terms</u>	<u>Links</u>
Unrestrained pipeline	C.223
UNS (unified numbering system)	A.169 A.172
Unstable rupture	B.111
Unsupported spans	D.113
Unwin formula	C.95 C.126
Urethane	B.526
Urethane linings	B.484
Usable storage volume	C.712
USAS	B.312 A.193
Use factor	C.785
Utility piping system	C.310
UVPC (unplasticized PVC)	D.18
Vacuum arc remelt (VAR)	C.453
Vacuum breaker	B.462 C.712 C.713
Vacuum breaker valves	B.461
Vacuum criteria	C.805
Vacuum degassing process	A.246
Vacuum exhausters	C.737
Vacuum fundamentals	C.802
Vacuum insulated cold boxes	C.435
Vacuum insulated pipe (VIP)	C.429 C.430 C.431 C.451
Vacuum insulation	C.396 C.397
Vacuum jacketed	C.361
Vacuum pneumatic conveying system	C.736
Vacuum pressure gauges	C.832
Vacuum pump	C.831
Vacuum pump exhaust sizing	C.838
Vacuum relief valves	C.33
Vacuum systems	C.728 C.730
Vacuum testing	B.564 B.652
Vacuum work forces	C.809
VAF (Vertical arching factor)	D.68 D.69
Valve(s)	B.85
air relief	A.523
ball	A.507 A.512
bleeder trip	B.95
butterfly	A.519 A.522 B.85
check	A.499 A.507 B.86
control	A.531 A.539 B.85
diaphragm	A.516 A.519
gate	A.490 A.496
globe	A.496 A.499
needle	A.499
plug	A.512 A.515
post indicator	B.100
safety-relief	B.87

Index terms**Links**

Valve(s) (Cont.)							
stop check	A.502						
Valve alignment	C.49						
Valve losses	C.492	C.493					
Valve selection	C.32						
Valve softseal materials	C.342						
Valve spacing	C.228						
Valve standards	C.341						
Valves	C.492	C.547	C.739	C.822	C.833	C.862	C.870
control	C.547	C.548					
gate	C.548						
isolation	C.547						
knife gates	C.745	C.746					
relief	C.549						
safety	C.549						
sluice valves	C.745	C.746					
Valves wide open (VWO)	C.84	C.98					
Van Stoning	A.29						
Vanadium	A.156						
Vapor	C.763						
Vapor barrier	B.59						
Vapor detection	B.645						
Vapor diffusion	B.309						
Vapor-equalizing valves	C.871						
Vapor phase	B.531	C.359					
Vapor pressure	A.30						
Vaporization	C.873	C.874	C.875	C.877	C.878		
Vaporized	C.439						
Vaporizer	C.871						
VAR (vacuum arc remelt)	C.453						
Variable spring support	B.221	B.231					
Variations	B.32						
Veil	D.145						
Velocity flow meters	C.286						
Velocity heads	C.641						
Velocity profile	C.22						
Vent and drain piping	C.377						
Vent extension	C.695						
Vent header	C.695	C.700					
Vent stack	B.87	C.695					
Vent terminal	C.695	C.697					
Vented bonnet	C.427						
Vents and drains	B.90						
Venturi port	A.463						
Vertical arching factor (VAF)	D.68	D.69					
Vertical casting	B.470						

<u>Index terms</u>	<u>Links</u>
Vertical position	A.30
Vertical tube type	C.275
Vibration	C.21 C.22 C.316
Vibration loads	B.49
Vinyl ester resin	D.86 D.87 D.145
Vinyl tapes	B.486
VIP (vacuum insulated pipe)	C.429 C.431 C.451
Virtual anchor	B.201
Viscoelasticity	D.33
Viscosity	A.30
kinematic	A.18
Vitrified clay pipe	C.656
Volatile refrigerants	C.457
Volumetric efficiency	C.488
Vortex breaker	C.275
Vulcanization	B.531
VWO (valves wide open)	C.84 C.98
Wafer body	A.463
Walk through tunnels	C.111
Wall thickness	B.33 B.35 B.61 C.69
Wall thrust	D.69
Wantzel	B.406
Washers	A.367
Waste line	C.685
Waste line discharge	C.689
Waste of water	C.623
Waste water	C.619 C.620 C.623 C.644
Waste water flows	C.629
Water column	C.694
Water cooled	C.768
Water damage	B.94
Water demand	C.715
Water fixture unit (WFU)	C.669
Water flow alarm	C.54
Water flow velocities	B.373
Water hammer	B.49 B.171 B.423 B.458 B.461 C.22 C.37 C.38 C.229 C.317 C.712
Water heater sizing	C.724
Water heating methods and equipments	C.723
Water mains	C.644
Water meters	C.712
Water migration	B.310
Water mist systems	C.61
Water pressures	C.32
Water service piping	C.380
Water slug	C.100

<u>Index terms</u>	<u>Links</u>
Water systems	C.4
Water tightness	C.663
Water vapor in the air	C.759
Water velocity	C.714
Wave force	B.456
Waxy and heavy crude oils	C.241
Weather resistance	D.109
Weathering	B.531
Weave bead	A.30
Weber number	B.422
Wedge	A.463
Weight analysis	B.178
Weight balance	B.182 B.183
Weight effects	C.99 C.316
Weight loadings	B.46
Weight of rainfall	C.708
Weld design	A.285
Weld joint factor	C.319
Weld reinforcements	C.121
Weld spatter	B.511
Welded joints	C.681
Welding	A.278 A.302
arc welding	A.8
automatic welding	A.9
braze welding	A.9
C dimension	A.287 A.289
dissimilar metals	A.298
EBW (electron beam welding)	A.280
face of weld	A.14
FCAW (flux core arc welding)	A.280 A.282
filler metal	A.14
filler metals	A.282
fillet weld	A.14
fire hazard	A.14
flat-land bevel	A.14
flat position	A.15
flux cored arc welding (FCAW)	A.15
forge weld	A.15
full-fillet weld	A.15
gas tungsten arc welding	A.15
GMAW (gas metal arc welding)	A.15 A.279 A.281 A.282
GMAW root weld	A.294
groove weld	A.16
GSAW (gas shielded arc welding)	A.281
GTAW (gas tungsten arc welding)	A.279 A.281
GTAW root weld	A.293

Index terms

Links

Welding (Cont.)

hammer weld	A.16
horizontal position fillet weld	A.17
horizontal position groove weld	A.17
internal misalignment	A.287
interrupted welding	A.18
lap weld	A.19
machine welding	A.19
manual welding	A.19
normalizing	A.20
nozzle connections	A.292
oxyacetylene welding	A.21
oxyfuel gas welding (OFGW)	A.21
personnel qualification	A.280
position weld	A.22
PQR (procedure qualification record)	A.279
processes	A.280
PWHT (post weld heat treatment)	A.22
reinforcement weld	A.23
resistance weld	A.23
root pass	A.293
SAW (submerged arc welding)	A.280
seal weld	A.25
semiautomatic arc welding	A.25
shield metal arc welding (SMAW)	A.25
SMAW (shield metal arc welding)	A.279 A.280 A.283
socket weld	A.26
square-groove weld	A.27
submerged arc welding	A.28
tack weld	A.28
throat of a weld	A.29
toe of weld	A.29
weld	A.30
weldability	A.30
weld bead	A.30
welded joint	A.30
welder	A.30
welder performance qualification	A.30
welding current	A.31
welding fittings	A.31
welding generator	A.31
welding machine	A.31
welding operator	A.31
welding procedure qualification record	A.31
welding procedure	A.31
welding procedure specification (WPS)	A.31 A.279

<u>Index terms</u>	<u>Links</u>		
Welding (Cont.)			
welding rod	A.31		
welding sequence	A.31		
weld metal area	A.30		
weld penetration	A.30		
weld-prober sawing	A.30		
WPQ (welding/welder operator qualifica-tion)	A.280		
weld reinforcement	A.30		
Welding alignment	C.348		
Welding research council (WRC)	B.151		
Weld-neck flanges	C.552		
Weldolets	B.147		
Weld-wrap assembly	B.628		
Wet chemical systems	C.61		
Wet gas	C.844		
Wet pipe	C.54	C.55	C.56
Wet vent	C.695	C.698	
WFU (water fixture unit)	C.669		
Wind load	B.40		
Wind loading	B.176	C.531	
Wind loads	B.175		
Wind produced vortices	C.316		
Work	A.33		
Working pressure	A.398	C.64	
Woven roving	D.145		
Wrought aluminum alloys	A.176	A.177	
Wrought copper materials	A.173		
Wrought iron	A.31		
Wye connection	B.146		
Wye strainers	A.83		
Yield strength	A.129		
Yoke	A.463	A.485	
Yoke bushing	A.463	A.488	
Young's modulus	A.128		
Zerotropic mixtures	C.465		
Zone heaters	B.248		